

Optimal Prediction Using Expert Advice and Randomized Littlestone Dimension

Yuval Filmus

FILMUS.YUVAL@GMAIL.COM

The Henry and Marilyn Taub Faculty of Computer Science, Technion, Israel

Steve Hanneke

STEVE.HANNEKE@GMAIL.COM

Department of Computer Science, Purdue University, USA

Idan Mehalel

IDANMEHALEL@GMAIL.COM

The Henry and Marilyn Taub Faculty of Computer Science, Technion, Israel

Shay Moran

SHAYMORAN1@GMAIL.COM

*The Henry and Marilyn Taub Faculty of Computer Science and Faculty of Mathematics, Technion, Israel
Google research, Israel*

Editors: Gergely Neu and Lorenzo Rosasco

Abstract

A classical result in online learning characterizes the optimal mistake bound achievable by deterministic learners using the Littlestone dimension (Littlestone '88). We prove an analogous result for randomized learners: we show that the optimal *expected* mistake bound in learning a class \mathcal{H} equals its *randomized Littlestone dimension*, which we define as follows: it is the largest d for which there exists a tree shattered by \mathcal{H} whose *average* depth is $2d$. We further study optimal mistake bounds in the agnostic case, as a function of the number of mistakes made by the best function in \mathcal{H} , denoted by k . Towards this end we introduce the k -Littlestone dimension and its randomized variant, and use them to characterize the optimal deterministic and randomized mistake bounds. Quantitatively, we show that the optimal randomized mistake bound for learning a class with Littlestone dimension d is $k + \Theta(\sqrt{kd} + d)$ (equivalently, the optimal regret is $\Theta(\sqrt{kd} + d)$). This also implies an optimal deterministic mistake bound of $2k + O(\sqrt{kd} + d)$, thus resolving an open question which was studied by Auer and Long ['99].

As an application of our theory, we revisit the classical problem of prediction using expert advice: about 30 years ago Cesa-Bianchi, Freund, Haussler, Helmbold, Schapire and Warmuth studied prediction using expert advice, provided that the best among the n experts makes at most k mistakes, and asked what are the optimal mistake bounds (as a function of n and k). Cesa-Bianchi, Freund, Helmbold, and Warmuth ['93, '96] provided a nearly optimal bound for deterministic learners, and left the randomized case as an open problem. We resolve this question by providing an optimal learning rule in the randomized case, and showing that its expected mistake bound equals half of the deterministic bound, up to negligible additive terms. This improves upon previous works by Cesa-Bianchi, Freund, Haussler, Helmbold, Schapire and Warmuth ['93, '97], by Abernethy, Langford, and Warmuth ['06], and by Brânzei and Peres ['19], which handled the regimes $k \ll \log n$ or $k \gg \log n$. In contrast, our result applies to all pairs n, k , and does so via a unified analysis using the randomized Littlestone dimension.

In our proofs we develop and use optimal learning rules, which can be seen as natural variants of the Standard Optimal Algorithm (SOA) of Littlestone: a weighted variant in the agnostic case, and a probabilistic variant in the randomized case. We conclude the paper with suggested directions for future research and open questions.

Keywords: Online learning, Online prediction, Randomized algorithms.

1. Introduction

A recurring phenomenon in learning theory is that different notions of learnability are captured by combinatorial parameters. Notable examples include the Vapnik–Chervonenkis (VC) dimension which characterizes PAC learnability (Vapnik and Chervonenkis, 1974; Blumer, Ehrenfeucht, Haussler, and Warmuth, 1989) and the Littlestone dimension which characterizes online learnability (Littlestone, 1988; Ben-David, Pál, and Shalev-Shwartz, 2009). Other examples include the Daniely–Shalev-Shwartz and Natarajan dimensions in multiclass PAC learning (Natarajan, 1989; Daniely and Shalev-Shwartz, 2014; Brukhim, Carmon, Dinur, Moran, and Yehudayoff, 2022), the star number, disagreement coefficient, and inference dimension in interactive learning (Hanneke, 2014; Hanneke and Yang, 2015; Kane, Lovett, Moran, and Zhang, 2017), the statistical query dimension in learning with statistical queries (Feldman, 2017), the representation dimension, one-way communication complexity, and Littlestone dimension in differentially private learning (Feldman and Xiao, 2015; Beimel, Nissim, and Stemmer, 2019; Alon, Bun, Livni, Malliaris, and Moran, 2022), and others.

One of the simplest and most appealing characterizations is that of online learnability by the Littlestone dimension. In his seminal work, Nick Littlestone proved that the optimal mistake-bound in online learning a class \mathcal{H} is *exactly* the Littlestone dimension of \mathcal{H} (Littlestone, 1988). Thus, not only does the Littlestone dimension qualitatively captures online learnability, it also provides an exact quantitative characterization of the best possible mistake bound. This distinguishes the Littlestone dimension from other dimensions in learning theory, which typically only provide asymptotic bounds on the learning complexity.

However, the exact quantitative characterization of the optimal mistake bound by the Littlestone dimension applies only in the noiseless *realizable* setting and only for *deterministic* learners. In particular, it does not apply in the more general and well-studied setting of *agnostic* online learning. The reason it does not apply is twofold: (i) because the agnostic setting allows for non-realizable sequences, and (ii) because randomized learners are in fact necessary.¹ This suggests the following question, which guides this work:

Is there a natural dimension which captures the optimal expected mistake bound in learning a class \mathcal{H} using randomized learners? How about the agnostic setting when there is no $h \in \mathcal{H}$ which is consistent with input data?

The main contribution of this work formalizes and proves affirmative answers to these questions.

Organization. In the next section we present the main results of this work. Then, in Section 3 we provide a short technical overview, where we outline the main ideas we use in our proofs. The remaining sections contain the complete proofs.

1. Randomized learners are necessary in the following sense: any agnostic online learner for a class \mathcal{H} must be randomized, provided that \mathcal{H} contains at least two functions (Cover, 1965), see also (Shalev-Shwartz and Ben-David, 2014, Chapter 21.2).

2. Main results

This section assumes familiarity with standard definitions and terminology from online learning. We refer the unfamiliar reader to Section A, which introduces the online learning model and related basic definitions in a self-contained manner.

2.1. Realizable Case

In his seminal work from 1988, Nick Littlestone studied the optimal mistake bound in online learning an hypothesis class \mathcal{H} by deterministic learning rules in the realizable setting (Littlestone, 1988); that is, under the assumption that the input data sequence is consistent with a function $h \in \mathcal{H}$.

Littlestone dimension. Let \mathcal{X} be the domain, and let \mathcal{H} be a class of “ $\mathcal{X} \rightarrow \{0, 1\}$ ” predictors. The Littlestone dimension of \mathcal{H} , denoted $L(\mathcal{H})$, is the maximal depth of a binary complete decision tree T which is shattered by \mathcal{H} . That is, a decision tree T whose nodes are associated with points from \mathcal{X} and whose edges are associated with labels from $\{0, 1\}$ such that each of the branches (root-to-leaf paths) in T is realized by some $h \in \mathcal{H}$.

Littlestone proved that the optimal mistake bound achievable by deterministic learners equals the Littlestone dimension. Littlestone further described a natural deterministic learning rule, which he dubbed the *Standard Optimal Algorithm* (SOA), that makes at most $L(\mathcal{H})$ mistakes on every realizable input sequence.

Randomized Littlestone dimension. Our first main result shows that a natural probabilistic variant of the Littlestone dimension characterizes the optimal expected mistake bound for randomized learners.

Definition 1 (Randomized Littlestone Dimension) *Let T be binary tree, and consider a random walk on T that starts at the root, goes to the left or right child with probability $1/2$, and continues recursively in the same manner until reaching a leaf. Let E_T denote the expected length of a random branch which is produced by this process. The randomized Littlestone dimension of a class \mathcal{H} , denoted by $RL(\mathcal{H})$, is defined by*

$$RL(\mathcal{H}) = \frac{1}{2} \sup_{T \text{ shattered}} E_T.$$

To compare the randomized Littlestone dimension with the Littlestone dimension, notice that the Littlestone dimension is equal to $\sup \{m_T : T \text{ shattered}\}$, where m_T is the minimum length of a branch in T . Thus, the difference is that in $RL(\mathcal{H})$ we take the expected depth rather than the minimal depth, and multiply by a factor of $1/2$.²

2. From a learning theoretic perspective it is easy to see that $RL(\mathcal{H}) \leq L(\mathcal{H})$, because randomized learners are more general than deterministic ones. Interestingly, this inequality is less obvious from a combinatorial perspective: indeed, for every fixed tree T we have that $E_T \geq m_T$ (because the expected length of a branch is at least the minimal length), but it is not a priori clear why the inequality is reversed when E_T is replaced by $E_T/2$ and we take supremum over all shattered trees. See Section C.3.2 for further discussion.

Theorem 2 (Main Result (i): Randomized Mistake Bound) *The optimal randomized mistake bound in online learning \mathcal{H} in the realizable setting is equal to its randomized Littlestone dimension, $\text{RL}(\mathcal{H})$.*

We also provide an optimal randomized learning rule which can be seen as a probabilistic adaptation of Littlestone’s classical SOA algorithm. See Section 3.1 for a brief overview, and Section B.1.1 for the proof.

The connection between online learning problems and random walks was identified in the online learning literature (Abernethy, Warmuth, and Yellin, 2008; Luo and Schapire, 2014a; Gravin, Peres, and Sivan, 2016). Abernethy et al. (2008) asked, conceptually, how general is this connection. Our results show that it is indeed quite general, in the sense that it yields the optimal algorithm for every hypothesis class.

2.2. Agnostic Case

We next consider the agnostic setting, in which we no longer assume that the input sequence of examples is consistent with \mathcal{H} . Our second main result characterizes the optimal expected mistake bound in this setting.

A common approach for handling the agnostic case is to assume a *bounded horizon* and analyze the *regret*. That is, it is assumed that the length of the input sequence (called the *horizon*) is a given parameter $\mathbf{T} \in \mathbb{N}$, and the goal is to design learning rules whose mistake bound is competitive with that of the best $h \in \mathcal{H}$ up to an additive term which is negligible in \mathbf{T} (this term is called the *regret* of the algorithm).

The bounded horizon assumption simplifies the design of learning rules, by allowing them to depend on \mathbf{T} . A notable example is the celebrated *Multiplicative Weights* (MW) learning rule, whose learning rate depends on \mathbf{T} . This assumption can then be lifted by standard *doubling tricks*.³

The k -realizable setting. In this work we consider an alternative approach: instead of assuming a bound \mathbf{T} on the horizon, we assume a bound k on the number of mistakes made by the best function in the class. Notice that this assumption can also be lifted by suitable doubling tricks as we demonstrate in Section 2.4, where we also extend our results to the bounded-horizon setting.

The upshot of this approach is that it allows for a precise combinatorial characterization of the optimal mistake bound via a natural generalization of the Littlestone dimension.

2.2.1. k -LITTLESTONE DIMENSION

Let \mathcal{H} be an hypothesis class, and let $k \in \mathbb{N}$. A sequence of examples $S = \{(x_i, y_i)\}_{i=1}^t$ is *k -realizable* by \mathcal{H} if there exists $h \in \mathcal{H}$ such that $h(x_i) \neq y_i$ for at most k indices i . In the k -realizable setting we assume that the input sequence given to the learner is k -realizable. Notice that the case $k = 0$ amounts to realizability by \mathcal{H} . We say that a decision tree is *k -shattered* by \mathcal{H} if every branch is k -realizable by \mathcal{H} . The corresponding deterministic and randomized k -Littlestone dimensions of a class \mathcal{H} are

$$L_k(\mathcal{H}) = \sup_{T \text{ } k\text{-shattered}} m_T \quad \text{and} \quad \text{RL}_k(\mathcal{H}) = \frac{1}{2} \sup_{T \text{ } k\text{-shattered}} E_T.$$

3. E.g. start by running the algorithm with $\mathbf{T} = 2$, and double \mathbf{T} when reaching the $(\mathbf{T} + 1)$ ’st example.

Theorem 3 (*k*-Littlestone Dimension) *Let \mathcal{H} be an hypothesis class.*

1. *The optimal deterministic mistake bound in online learning \mathcal{H} in the k -realizable setting equals its k -Littlestone dimension, $L_k(\mathcal{H})$.*
2. *The optimal randomized mistake bound in online learning \mathcal{H} in the k -realizable setting equals its k -randomized Littlestone dimension, $RL_k(\mathcal{H})$.*

We also provide optimal learning rules which can be seen as weighted variants of Littlestone’s classical SOA algorithm. See Section 3.1 for a brief overview and Section E for the proof.

As a consequence of this perspective, we prove the following theorem which provides tight regret bounds in terms of the Littlestone dimension.

Theorem 4 (Main Result (ii): Optimal Regret Bounds for Littlestone Classes) *Let \mathcal{H} be an hypothesis class and let $k \in \mathbb{N}$. Then*

$$RL_k(\mathcal{H}) = k + \Theta\left(\sqrt{k \cdot L(\mathcal{H})} + L(\mathcal{H})\right).$$

In particular, the optimal regret in online learning \mathcal{H} is $\Theta\left(\sqrt{k \cdot L(\mathcal{H})} + L(\mathcal{H})\right)$, where k is the number of mistakes made by the best function in \mathcal{H} .

This improves and refines over results by (Auer and Long, 1999; Alon, Ben-Eliezer, Dagan, Moran, Naor, and Yogev, 2021). The work by Alon et al. (2021) determined an optimal regret bound of $\Theta\left(L(\mathcal{H}) + \sqrt{T \cdot L(\mathcal{H})}\right)$, where T is the time horizon. The above bound refines it by replacing T with $k \leq T$. The work by Auer and Long (1999) studies the optimal deterministic mistake bound in online learning \mathcal{H} in the k -realizable setting. Theorem 4 implies that the deterministic mistake bound is at most

$$2RL_k(\mathcal{H}) = 2k + O\left(\sqrt{k \cdot L(\mathcal{H})} + L(\mathcal{H})\right). \quad (\text{see Proposition 30})$$

This improves over (Auer and Long, 1999, Theorem 4.4) which gives an upper bound of $(2 + 2.5\epsilon)k + O\left(\frac{1}{\epsilon} \log \frac{1}{\epsilon}\right)L(\mathcal{H})$ for every $0 < \epsilon \leq 1/20$. See Section E.4 for the proof of Theorem 4.

2.3. Prediction Using Expert Advice

In this section, we consider the problem of *prediction using expert advice* (Vovk, 1990; Littlestone and Warmuth, 1994). This problem studies a repeated guessing game between a learner and an adversary. In each round of the game, the learner needs to guess the label that the adversary chooses. In order to do so, the learner can use the advice of n experts. Formally, each round i in the game proceeds as follows:

- (i) The experts present predictions $\hat{y}_i^{(1)}, \dots, \hat{y}_i^{(n)} \in \{0, 1\}$.
- (ii) The learner predicts a value $p_i \in [0, 1]$.
- (iii) The adversary reveals the true answer $y_i \in \{0, 1\}$, and the learner suffers the loss $|y_i - p_i|$.

We focus here on the k -realizable setting, which was suggested by (Cesa-Bianchi, Freund, Helmbold, and Warmuth, 1996; Cesa-Bianchi, Freund, Haussler, Helmbold, Schapire, and Warmuth, 1997) and further studied by (Abernethy, Langford, and Warmuth, 2006; Mukherjee and Schapire, 2010; Brânzei and Peres, 2019). Here, the adversary must choose the answers so that at least one of the experts makes at most k mistakes. That is, there must exist an expert j such that $y_i \neq \hat{y}_i^{(j)}$ for at most k many indices i .

The goal is to determine the optimal loss of the learner as a function of n and k . Let $M_D^*(n, k)$ denote the optimal loss of a deterministic learner and $M^*(n, k)$ denote the optimal loss of a (possibly) randomized learner.⁴

The starting point is the basic fact⁵ that

$$\frac{M_D^*(n, k)}{2} \leq M^*(n, k) \leq M_D^*(n, k). \quad (1)$$

In their seminal work, Cesa-Bianchi, Freund, Haussler, Helmbold, Schapire, and Warmuth (1997) exhibited a randomized algorithm which witnesses that in the regime when $k \gg \log n$ or $k \ll \log n$, the lower bound in Equation 1 is tight up to a relative factor of $o(1)$, (See their Theorem 4.4.3).

In a follow up work, Cesa-Bianchi, Freund, Helmbold, and Warmuth (1996) aimed to find optimal deterministic and randomized algorithms. They found a nearly optimal deterministic algorithm called binomial weights, and left as a main open problem whether there is a randomized learner witnessing that the lower bound in Equation 1 is tight for every n, k , perhaps up to a negligible additive term. In fact, they even suggested that the negligible term might be a universal numerical constant; below we show that it cannot.

Nearly 10 years later, Abernethy, Langford, and Warmuth (2006) showed that $M^*(n, k) \leq M_D^*(n, k)/2 + C$ for every k and every $n \geq N(k)$, where C is a universal constant (independent of n, k), thus showing that in the regime when $k = O(1)$ the additive negligible term is indeed a universal constant (independent of n, k).

More recently, Brânzei and Peres (2019) showed that $M^*(n, k) \leq (\frac{1}{2} + o(1))M_D^*(n, k)$ for $k = o(\log n)$, while quantitatively improving upon the bounds given by (Cesa-Bianchi, Freund, Haussler, Helmbold, Schapire, and Warmuth, 1997) in this regime.

In the next theorem we show that the lower bound in Equation 1 is nearly tight for *all* $n \geq 2$ and $k \geq 0$, thus fully resolving the question raised by (Cesa-Bianchi, Freund, Helmbold, and Warmuth, 1996).⁶ Moreover, we show that the negligible term tends to infinity when $n = 2$. The latter shows that the result by (Abernethy, Langford, and Warmuth, 2006) does not apply for general n, k .

4. Note that we assume here that k is known to the learner and that the horizon (i.e. number of rounds in the game) might be unbounded. In Section 2.4.2 below we explain how to extend our results to the complementing cases.

5. One might be tempted to interpret these inequalities as implying that $M^*(n, k)$ and $M_D^*(n, k)$ are nearly the same. However, the multiplicative gap of $1/2$ can be significant. For example, a randomized learner with a non-trivial error rate of 25% corresponds to a deterministic learner with 50% error-rate. The latter is trivially achieved by a random guess. For the same reason, sublinear regret guarantees can only be achieved by randomized learners, although they are “just” a factor of $1/2$ better than deterministic learners, see e.g. (Cesa-Bianchi and Lugosi, 2006; Shalev-Shwartz, 2012; Hazan, 2019).

6. When $n = 1$, $M^*(1, k) = M_D^*(1, k) = k$.

Theorem 5 (Main Result (iii): Bounds for Randomized Predictors) *Let $M^*(n, k)$ denote the optimal expected mistake bound for prediction using expert advice in the k -realizable setting when there are n experts, and let $M_D^*(n, k)$ denote the optimal mistake bound for deterministic learners. For all $n \geq 2$ and $k \geq 0$,*

$$M^*(n, k) = \left(\frac{1}{2} + o(1)\right)M_D^*(n, k).$$

Furthermore, the error term cannot be improved to $O(1)$ for $n = 2$:

$$M^*(2, k) = \frac{M_D^*(2, k)}{2} + \Omega\left(\sqrt{M_D^*(2, k)}\right).$$

We prove the upper bound in Section F.2, and the lower bound in Section F.3. Both bounds are proved using the randomized k -Littlestone dimension. A special case of Theorem 4 states that $M^*(n, k) = k + \Theta(\sqrt{k \log n} + \log n)$, where the upper bound in this quantitative bound was first proved in (Cesa-Bianchi, Freund, Haussler, Helmbold, Schapire, and Warmuth, 1997). In Section F.6 we prove that any optimal learning rule must necessarily be improper, in the sense that it cannot always predict using convex combinations of the n experts.

Additional Related Work. Different variants of the experts problem have been extensively studied in the past 30 years and various techniques for bounding the optimal regret and mistake bounds were developed throughout the years, such as *sequential Rademacher complexity* (Rakhlin, Shamir, and Sridharan, 2012; Rakhlin and Sridharan, 2014), *drifting games* (Mukherjee and Schapire, 2010; Luo and Schapire, 2014b), and the *Hedge setting* (Abernethy, Warmuth, and Yellin, 2008; Freund and Schapire, 1997). However, those techniques are seemingly tailored for randomized *proper* learners (i.e., learners that predict using a distribution over the experts which is updated at the end of each round), and proper learners are inherently suboptimal for the experts problem, even in the realizable case, as proven in Section F.6. Abernethy et al. (2008) identified the optimal proper algorithm, using a random walk analysis, which is similar to our characterization results. It will be interesting to investigate whether variations of these techniques can reproduce or even improve the bounds in this work.

2.4. Variations

2.4.1. BOUNDED HORIZON

Consider learning \mathcal{H} in the k -realizable setting, and let $M_k^* = M_k^*(\mathcal{H})$ denote the optimal expected mistake bound. In particular, this means that the adversary can force M_k^* mistakes in expectation on any randomized learner. This would be tolerable if in order to do so the adversary must use many examples, say $1000M_k^*$. Indeed, this would mean that the learner makes only one mistake per a thousand examples (amortized), which is rather good.

This raises the question to what extent does M_k^* capture the optimal mistake bound under the additional assumption that the horizon is bounded by a given $T \in \mathbb{N}$. A bounded horizon is often assumed in the online learning literature, and in fact this question was explicitly asked by (Cesa-Bianchi, Freund, Haussler, Helmbold, Schapire, and Warmuth, 1997) in the special case of prediction using expert advice.

Let $M_k^*(\mathbf{T})$ denote the optimal expected mistake bound in the k -realizable setting with horizon bounded by \mathbf{T} . The following result shows that M_k^* provides an excellent approximation of $M_k^*(\mathbf{T})$; in particular, the scenario described above is impossible.

Theorem 6 (Main Result (v): Bounded vs Unbounded Horizon) *Let \mathcal{H} be an hypothesis class. Let M_k^* denote the optimal expected mistake bound in online learning \mathcal{H} in the k -realizable setting, and let $M_k^*(\mathbf{T})$ denote the optimal expected mistake bound under the additional assumption that the input sequence has length at most \mathbf{T} . Then,*

1. **Long horizon.** If $\mathbf{T} > 2M_k^*$ then

$$M_k^* - \sqrt{8M_k^* \ln M_k^*} - 1 \leq M_k^*(\mathbf{T}) \leq M_k^*.$$

2. **Short Horizon.** If $\mathbf{T} \leq 2M_k^*$ then

$$\frac{\mathbf{T}}{2} - \sqrt{8\mathbf{T} \ln \mathbf{T}} - 1 \leq M_k^*(\mathbf{T}) \leq \frac{\mathbf{T}}{2},$$

and if $\mathbf{T} \leq M_k^*$ then $M_k^*(\mathbf{T}) = \frac{\mathbf{T}}{2}$.

The upper bounds in Theorem 6 follow from basic facts: indeed, $M_k^*(\mathbf{T}) \leq M_k^*$ holds because assuming a bounded horizon restricts the adversary, and $M_k^*(\mathbf{T}) \leq \frac{\mathbf{T}}{2}$ follows by guessing each label uniformly at random. The lower bounds are more challenging, and our proofs of them relies heavily on the randomized Littlestone dimension.

Our proof of Theorem 6 appears in Section D.3. The proof relies on a simple extension of our characterization to this setting: consider the following modification of the Littlestone dimension and its randomized variant:

$$L_k(\mathcal{H}, \mathbf{T}) = \sup_{\substack{T \text{ shattered} \\ \text{depth}(T) \leq \mathbf{T}}} m_T \quad \text{and} \quad \text{RL}_k(\mathcal{H}, \mathbf{T}) = \frac{1}{2} \sup_{\substack{T \text{ shattered} \\ \text{depth}(T) \leq \mathbf{T}}} E_T.$$

The bounded randomized Littlestone dimension gives the precise mistake bound in this setting:

Theorem 7 (Optimal Mistake Bounds: Bounded Horizon) *Let \mathcal{H} be an hypothesis class.*

1. *The optimal deterministic mistake bound in online learning \mathcal{H} in the k -realizable setting with horizon \mathbf{T} equals its bounded k -Littlestone dimension, $L_k(\mathcal{H}, \mathbf{T})$.⁷*
2. *The optimal randomized mistake bound in online learning \mathcal{H} in the k -realizable setting with horizon \mathbf{T} equals its bounded k -randomized Littlestone dimension, $\text{RL}_k(\mathcal{H}, \mathbf{T})$.*

We prove Theorem 7 in Section D.1.

Prediction using Expert Advice. Also the problem of prediction using expert advice is often considered when the number of rounds is bounded (e.g. (Cesa-Bianchi, Freund, Haussler, Helmbold,

⁷ Trivially, $L_k(\mathcal{H}, \mathbf{T}) = \min\{\mathbf{T}, L_k(\mathcal{H})\}$.

Schapire, and Warmuth, 1997)). Let $M^*(n, k, \mathbf{T})$ be the optimal loss of the learner when the number of rounds is \mathbf{T} . By a simple reduction to Theorem 7 we show that

$$M^*(n, k, \mathbf{T}) \approx \begin{cases} M^*(n, k) & \text{if } \mathbf{T} \geq 2M^*(n, k), \\ \frac{\mathbf{T}}{2} & \text{if } \mathbf{T} < 2M^*(n, k). \end{cases}$$

The exact bounds are as in Theorem 7 when replacing $M^*(n, k, \mathbf{T})$ and $M^*(n, k)$ with $M_k^*(\mathbf{T})$ and M_k^* .

2.4.2. ADAPTIVE ALGORITHMS

The analysis in much of this work considers the case where the learning algorithm may depend explicitly on a bound k on the number of mistakes of the best hypothesis (or expert). However, it is also desirable to study mistake bounds achievable *adaptively*: that is, by a single algorithm that applies to all k . We present here one simple approach to obtaining such an algorithm, with a corresponding mistake bound. However, the bound we obtain may likely be improvable, and generally we leave the question of obtaining a tightest possible adaptively-achievable mistake bound as an open problem.

Theorem 8 *There is an adaptive algorithm (i.e., which has no knowledge of k^*) such that, for every k^* -realizable sequence for \mathcal{H} , its expected number of mistakes is at most*

$$M_{k^*}^* + O\left(\sqrt{M_{k^*}^* \log((k^* + 1) \log M_{k^*}^*)}\right).$$

In the special case of the general *experts* setting, since we know that $M^*(n, k^*) = \Omega(k^* + \log(n))$, we obtain the following bound on the expected number of mistakes:

$$M^*(n, k^*) + O\left(\sqrt{M^*(n, k^*) \log M^*(n, k^*)}\right) = (1 + o(1))M^*(n, k^*).$$

In particular, combining this with Theorem 5, we find that this algorithm adaptively still achieves an expected number of mistakes $(\frac{1}{2} + o(1))M_D^*(n, k^*)$.

On the other hand, in the case of concept classes \mathcal{H} with a bounded Littlestone dimension $L(\mathcal{H})$, we know from Theorem 4 that $M_{k^*}^* \leq k^* + O\left(\sqrt{k^* L(\mathcal{H})} + L(\mathcal{H})\right)$. Theorem 8 implies that the adaptive procedure nearly preserves the form of this upper bound, guaranteeing a slightly larger bound of the form $k^* + O\left(\sqrt{k^* L(\mathcal{H}) \log(k^* \log L(\mathcal{H}))} + L(\mathcal{H})\right)$.

Our proof of Theorem 8 appears in Section E.5. The adaptive technique we propose involves using an experts algorithm of (Koolen and van Erven, 2015) named Squint, with experts defined by the optimal randomized algorithm for the k -realizable setting, for all values of k .

3. Technical Overview

In its greatest generality, online prediction is a game involving two randomized parties, an adversary who is producing examples, and a learner who is trying to correctly predict the labels of all or most of these examples. In the realizable case, the adversary is moreover constrained by an hypothesis class which must be adhered to.

Various techniques are used in the literature to analyze this sophisticated setting. On the one hand, learning rules show which hypothesis classes lend themselves to learning, and on the other hand, strategies for the adversary put limitations on what can be learned, and at what cost.

In this work, we identify the combinatorial core behind many settings of online learning. In this, we follow up on Nick Littlestone’s classical work on deterministic online learning, as well as on other classical work in learning theory such as that the foundational work of Vapnik and Chervonenkis.

Reducing the messy probabilistic setting of online learning to the clean combinatorial setting of shattered trees enables us to tackle open questions about prediction using expert advice, which are hard to approach directly.

3.1. Combinatorial Characterizations

The Littlestone dimension of an hypothesis class \mathcal{H} is the maximal depth of a complete binary tree which is shattered by \mathcal{H} . A tree of depth D easily translates into a strategy for the adversary which forces the learner to make D mistakes. In other words, a tree shattered by \mathcal{H} is an obvious obstacle to learning \mathcal{H} .

The magic of Littlestone dimension is the opposite direction: Littlestone’s SOA learning rule makes at most $L(\mathcal{H})$ mistakes, showing that trees shattered by \mathcal{H} are the *only* obstacle for learning \mathcal{H} . This is a common phenomenon in mathematics: an obvious necessary condition turns out to be (less obviously) sufficient.

Defining the randomized Littlestone dimension. In order to motivate the definition of the randomized Littlestone dimension, let us first examine the (deterministic) Littlestone dimension. Given a tree T shattered by \mathcal{H} , the adversary executes the following strategy, starting at the root: *At an internal node labeled x , ask the learner for the label of x , and follow the opposite edge.* This strategy follows a branch of T , and forces the learner to make a mistake in each round. The total number of mistakes which the adversary can guarantee is precisely m_T , the minimum length of a branch in T . The resulting input sequence is realizable by \mathcal{H} since T is shattered by \mathcal{H} .

The definition of the randomized Littlestone dimension follows a similar approach, but uses a different strategy for the adversary: *At an internal node labeled x , ask the learner for the label of x , and follow a random edge.* This strategy also follows a branch of T , and it forces the learner to make *half* a mistake in each round, in expectation.⁸ The total expected number of mistakes is $E_T/2$, where E_T is the expected length of a random branch of T .

We define the randomized Littlestone dimension by considering all such adversary strategies: $RL(\mathcal{H}) = \frac{1}{2} \sup_{T \text{ shattered}} E_T$. The supremum is not always achieved, even if we allow infinite trees, as we demonstrate in Section B.3.

Extending the Standard Optimal Algorithm. Littlestone’s Standard Optimal Algorithm (SOA) makes at most $L(\mathcal{H})$ mistakes on any realizable input sequence. The algorithm is very simple. It maintains a subset V of \mathcal{H} which consists of all hypotheses which are consistent with the data seen so far. Given a sample x , one of the following must hold, where $V_{x \rightarrow y}$ is the subset of V consisting of all hypotheses assigning to x the label y :

1. $L(V_{x \rightarrow 0}) < L(V)$. The learner predicts $\hat{y} = 1$.

8. Recall that we model a randomized learner as a learner which makes a “soft” prediction $p \in [0, 1]$; if the true label is y , then the learner’s loss is $|p - y|$. When we choose the label y at random, the expected loss is $\mathbb{E}[|p - y|] = \frac{1}{2}$ regardless of p .

2. $L(V_{x \rightarrow 1}) < L(V)$. The learner predicts $\hat{y} = 0$.

One of these cases must hold, since otherwise we could construct a tree of depth $L(V) + 1$ shattered by V . Each time that the learner makes a mistake, $L(V)$ decreases by 1, and so the learner makes at most $L(\mathcal{H})$ mistakes.

Our randomized extension of SOA, which we call RandSOA, follows a very similar strategy. It maintains V in the same way. Given a sample x , we want to make a prediction p which “covers all bases”, that is, results in a good outcome for the learner whatever the correct label y is. Given a prediction p , the adversary can guarantee a loss of $\max\{p + \text{RL}(V_{x \rightarrow 0}), 1 - p + \text{RL}(V_{x \rightarrow 1})\}$. For the optimal choice of p , this quantity is at most $\text{RL}(V)$, as we show in Section B.1.1.

The k -realizable setting and weighted SOA. The k -realizable setting is handled similarly. In the definition of randomized Littlestone dimension, instead of requiring the tree to be shattered, it suffices for it to be k -shattered, since the adversary need only produce an input sequence which is k -realizable.

The main novelty in this setting is a *weighted* analog of the SOA learning rule. This weighted SOA rule relates to the classical SOA in a similar way like the *Weighted Majority* algorithm relates to *Halving*. In particular, it keeps track, for each hypothesis, how many more mistakes are allowed. Accordingly, we consider the more generalized setting of *weighted hypothesis classes*. These are hypothesis classes in which each hypothesis has a “mistake budget”. The definition of randomized Littlestone dimension extends to this setting, and allows us to generalize RandSOA to the randomized agnostic setting.

3.2. Quasi-balanced Trees

Given an hypothesis class \mathcal{H} , how does an optimal strategy for the adversary look like? Such a strategy must make the analysis of RandSOA tight, and in particular, if the first sample it asks is x , then $\text{RL}(\mathcal{H}) = p + \text{RL}(\mathcal{H}_{x \rightarrow 0}) = 1 - p + \text{RL}(\mathcal{H}_{x \rightarrow 1})$, where p is the prediction of the learner.⁹

The strategy of the adversary naturally corresponds to a tree which is shattered by \mathcal{H} : the root is labeled x , and the edge labeled y leads to a tree corresponding to an optimal strategy for $\mathcal{H}_{x \rightarrow y}$. Suppose that we further assign weights to the edges touching the root: the 0-edge gets the weight p , and the 1-edge gets the weight $1 - p$. If we assign weights to the remaining edges recursively then the resulting tree satisfies the following property:

Every branch has the same total weight $\text{RL}(\mathcal{H})$.

More generally, a tree T is *quasi-balanced* if we can assign non-negative weight to its edges such that (i) the weights of the two edges emanating from a vertex sum to 1, and (ii) all branches have the same total weight (which must be $E_T/2$). If a tree is quasi-balanced then the weight assignment turns out to be *unique*.

A tree in which all branches have the same depth is quasi-balanced, but the class of quasi-balanced trees is a lot richer, including for example the path appearing in Figure 4.

There is a simple criterion for quasi-balancedness:

9. Strictly optimal strategies do not always exist, and even when they do, they might require an unbounded number of rounds. For the sake of exposition we gloss over these difficulties.

A tree T is quasi-balanced if and only if it is *monotone*: if w is a descendant of v then $E_{T_w} \leq E_{T_v}$, where T_u is the subtree rooted at u .

Since the loss guaranteed by an adversary following the strategy corresponding to a tree T is $E_T/2$, it is clear that the best strategy is always monotone. This argument shows that $\text{RL}(\mathcal{H}) = \frac{1}{2} \sup_{T \text{ shattered, monotone}} E_T$. In other words, it suffices to consider only quasi-balanced trees when defining the randomized Littlestone dimension. This is the randomized counterpart of a trivial property of the Littlestone dimension: in order to define the Littlestone dimension, it suffices to consider *balanced* trees, that is, trees in which all branches have the same length. We can view quasi-balancedness as a relaxation of strict balancedness.

Concentration of expected branch length. The randomized Littlestone dimension is defined in terms of the expected branch length. However, several of our results require knowledge of the distribution of the branch length.

For example, Theorem 6 states that $2\text{RL}(\mathcal{H}) + O(\sqrt{\text{RL}(\mathcal{H})} \log(\text{RL}(\mathcal{H})/\epsilon))$ rounds are needed in order for the adversary to guarantee a loss of $\text{RL}(\mathcal{H}) - \epsilon$. The number of rounds corresponds to the depth of the tree, and so the natural way to prove such a result would be to start with a tree T satisfying $E_T/2 = \text{RL}(\mathcal{H})$, and prune it to depth $2\text{RL}(\mathcal{H}) + O(\sqrt{\text{RL}(\mathcal{H})} \log(\text{RL}(\mathcal{H})/\epsilon))$. We would like to say that this does not reduce the expected branch length by much, since the length of most branches does not exceed E_T by much. Other applications such as prediction using expert advice need concentration from the other side (the length of most branches does not fall behind E_T by much).

It is possible to construct trees for which the length of a random branch isn't concentrated around its expectation. For example, we can take an infinite path which, every so often, splits into a deep complete binary tree. If we are careful, we can guarantee that the expected branch length is finite but its variance is infinite.

At this point, quasi-balancedness comes to the rescue. The monotonicity property of quasi-balanced trees implies that the choice of an edge at every step of a random branch does not affect the final length by much. Consequently, Azuma's inequality (a version of Chernoff's inequality for martingales) shows that for quasi-balanced trees, the length of a random branch is strongly concentrated around its expectation. This simple observation drives several of our strongest results.

3.3. Prediction using Expert Advice

At first, the setting of prediction using expert advice looks similar, but not identical, to our setting. However, it turns out that it is actually a *special case* of our setting, for a specific hypothesis class known as the *universal hypothesis class* \mathcal{U}_n .

The class \mathcal{U}_n contains n different hypotheses, which correspond to the experts. For each possible set of predictions $\hat{y}^{(1)}, \dots, \hat{y}^{(n)}$ there is a corresponding element in the domain. In other words, the domain is $\mathcal{X} = \{0, 1\}^n$, and the hypotheses in \mathcal{U}_n are the n projections $h_i(x_1, \dots, x_n) = x_i$.

With this equivalence in place, we can apply the theory we have developed so far to analyze prediction using expert advice. Our main result concerning this setting, Theorem 5, consists of an upper bound on $M^*(n, k)$, and a lower bound on $M^*(2, k)$.

We start with the upper bound on $M^*(n, k)$. In view of the equivalence above, we want to bound the expected branch length of any tree T which is k -shattered by \mathcal{U}_n . We can assume that T is quasi-

balanced, and so the length of a random branch of T is roughly E_T . If T were strictly balanced, then a random branch would be k -realizable by \mathcal{U}_n with probability at most $n^{\binom{E_T}{\leq k}}/2^{E_T}$. Cesa-Bianchi, Freund, Helmbold, and Warmuth (1996) have shown that the largest value of E_T for which this quantity is at least 1, which we denote by $D(n, k)$, satisfies $M_D^*(n, k) = (1 - o(1))D(n, k)$. Since T is only quasi-balanced, we get a slightly worse bound.

A nice proof of the lower bound on $M^*(2, k)$ is given by identifying the optimal tree. Intuitively, it seems obvious that rounds in which both experts make the same prediction are “wasteful”, and we can show this formally. By symmetry, we can assume that the first expert always predicts 0 and that the second expert always predicts 1. We can construct the corresponding tree explicitly, and conclude that $M^*(2, k) = k + (k + 1/2)\binom{2k}{k}/4^k$.

Acknowledgments

Shay Moran is a Robert J. Shillman Fellow; he acknowledges support by ISF grant 1225/20, by BSF grant 2018385, by an Azrieli Faculty Fellowship, by Israel PBC-VATAT, by the Technion Center for Machine Learning and Intelligent Systems (MLIS), and by the the European Union (ERC, GENERALIZATION, 101039692). Views and opinions expressed are however those of the author(s) only and do not necessarily reflect those of the European Union or the European Research Council Executive Agency. Neither the European Union nor the granting authority can be held responsible for them.

References

- Jacob Abernethy, John Langford, and Manfred K Warmuth. Continuous experts and the binning algorithm. In *International Conference on Computational Learning Theory*, pages 544–558. Springer, 2006.
- Jacob Abernethy, Manfred K Warmuth, and Joel Yellin. Optimal strategies from random walks. In *Proceedings of The 21st Annual Conference on Learning Theory*, pages 437–446, 2008.
- Noga Alon, Omri Ben-Eliezer, Yuval Dagan, Shay Moran, Moni Naor, and Eylon Yogev. Adversarial laws of large numbers and optimal regret in online classification. In *Proceedings of the 53rd Annual ACM SIGACT Symposium on Theory of Computing*, pages 447–455, 2021.
- Noga Alon, Mark Bun, Roi Livni, Maryanthe Malliaris, and Shay Moran. Private and online learnability are equivalent. *J. ACM*, 69(4):28:1–28:34, 2022. doi: 10.1145/3526074. URL <https://doi.org/10.1145/3526074>.
- Peter Auer and Philip M Long. Structural results about on-line learning models with and without queries. *Machine Learning*, 36(3):147–181, 1999.
- Amos Beimel, Kobbi Nissim, and Uri Stemmer. Characterizing the sample complexity of pure private learners. *Journal of Machine Learning Research*, 20(146):1–33, 2019. URL <http://jmlr.org/papers/v20/18-269.html>.
- Shai Ben-David, Dávid Pál, and Shai Shalev-Shwartz. Agnostic online learning. In *COLT*, 2009.

- Anselm Blumer, Andrzej Ehrenfeucht, David Haussler, and Manfred K Warmuth. Learnability and the Vapnik–Chervonenkis dimension. *Journal of the ACM (JACM)*, 36(4):929–965, 1989.
- Simina Brânzei and Yuval Peres. Online learning with an almost perfect expert. *Proceedings of the National Academy of Sciences*, 116(13):5949–5954, 2019.
- Nataly Brukhim, Daniel Carmon, Irit Dinur, Shay Moran, and Amir Yehudayoff. A characterization of multiclass learnability, 2022. URL <https://arxiv.org/abs/2203.01550>.
- Nicolo Cesa-Bianchi and Gábor Lugosi. *Prediction, learning, and games*. Cambridge university press, 2006.
- Nicolo Cesa-Bianchi, Yoav Freund, David P Helmbold, and Manfred K Warmuth. On-line prediction and conversion strategies. *Machine Learning*, 25(1):71–110, 1996.
- Nicolo Cesa-Bianchi, Yoav Freund, David Haussler, David P Helmbold, Robert E Schapire, and Manfred K Warmuth. How to use expert advice. *Journal of the ACM (JACM)*, 44(3):427–485, 1997.
- Gérard Cohen, Iiro Honkala, Simon Litsyn, and Antoine Lobstein. *Covering codes*. Elsevier, 1997.
- T. Cover. Behavior of sequential predictors of binary sequences. In *Proc. of the 4th Prague Conference on Information Theory, Statistical Decision Functions and Random Processes*, pages 263–272. Publishing House of the Czechoslovak Academy of Sciences, 1965.
- Amit Daniely and Shai Shalev-Shwartz. Optimal learners for multiclass problems. In *COLT*, pages 287–316, 2014.
- Amit Daniely, Sivan Sabato, Shai Ben-David, and Shai Shalev-Shwartz. Multiclass learnability and the ERM principle. *J. Mach. Learn. Res.*, 16:2377–2404, 2015. ISSN 1532-4435.
- J. L. Doob. *Stochastic processes*. John Wiley & Sons, Inc., New York; Chapman & Hall, Ltd., London, 1953.
- Vitaly Feldman. A general characterization of the statistical query complexity. In Satyen Kale and Ohad Shamir, editors, *Proceedings of the 30th Conference on Learning Theory, COLT 2017, Amsterdam, The Netherlands, 7-10 July 2017*, volume 65 of *Proceedings of Machine Learning Research*, pages 785–830. PMLR, 2017. URL <http://proceedings.mlr.press/v65/feldman17c.html>.
- Vitaly Feldman and David Xiao. Sample complexity bounds on differentially private learning via communication complexity. *SIAM J. Comput.*, 44(6):1740–1764, 2015. doi: 10.1137/140991844. URL <https://doi.org/10.1137/140991844>.
- Yoav Freund and Robert E Schapire. A decision-theoretic generalization of on-line learning and an application to boosting. *Journal of computer and system sciences*, 55(1):119–139, 1997.
- Nick Gravin, Yuval Peres, and Balasubramanian Sivan. Towards optimal algorithms for prediction with expert advice. In *Proceedings of the twenty-seventh annual ACM-SIAM symposium on Discrete algorithms*, pages 528–547. SIAM, 2016.

- Steve Hanneke. Theory of disagreement-based active learning. *Foundations and Trends® in Machine Learning*, 7(2-3):131–309, 2014. ISSN 1935-8237. doi: 10.1561/22000000037. URL <http://dx.doi.org/10.1561/22000000037>.
- Steve Hanneke and Liu Yang. Minimax analysis of active learning. *J. Mach. Learn. Res.*, 16: 3487–3602, 2015. doi: 10.5555/2789272.2912111. URL <https://dl.acm.org/doi/10.5555/2789272.2912111>.
- Steve Hanneke, Roi Livni, and Shay Moran. Online learning with simple predictors and a combinatorial characterization of minimax in 0/1 games. *Proceedings of Machine Learning Research*, 134: 1–26, 2021.
- Elad Hazan. Introduction to online convex optimization. *arXiv preprint arXiv:1909.05207*, 2019.
- Alkis Kalavasis, Grigoris Velegkas, and Amin Karbasi. Multiclass learnability beyond the pac framework: Universal rates and partial concept classes, 2022. URL <https://arxiv.org/abs/2210.02297>.
- Daniel M. Kane, Shachar Lovett, Shay Moran, and Jiapeng Zhang. Active classification with comparison queries. In Chris Umans, editor, *58th IEEE Annual Symposium on Foundations of Computer Science, FOCS 2017, Berkeley, CA, USA, October 15-17, 2017*, pages 355–366. IEEE Computer Society, 2017. doi: 10.1109/FOCS.2017.40. URL <https://doi.org/10.1109/FOCS.2017.40>.
- Anna R Karlin and Yuval Peres. *Game theory, alive*, volume 101. American Mathematical Soc., 2017.
- Wouter M. Koolen and Tim van Erven. Second-order quantile methods for experts and combinatorial games. In *Proceedings of the 28th Conference on Learning Theory*, 2015.
- Nick Littlestone. Learning quickly when irrelevant attributes abound: A new linear-threshold algorithm. *Machine learning*, 2(4):285–318, 1988.
- Nick Littlestone and Manfred K Warmuth. The weighted majority algorithm. *Information and computation*, 108(2):212–261, 1994.
- Haipeng Luo and Robert Schapire. Towards minimax online learning with unknown time horizon. In *International Conference on Machine Learning*, pages 226–234. PMLR, 2014a.
- Haipeng Luo and Robert E Schapire. A drifting-games analysis for online learning and applications to boosting. *Advances in Neural Information Processing Systems*, 27, 2014b.
- Indraneel Mukherjee and Robert E Schapire. Learning with continuous experts using drifting games. *Theoretical Computer Science*, 411(29-30):2670–2683, 2010.
- Balas K. Natarajan. On learning sets and functions. *Machine Learning*, 4(1):67–97, 1989.
- Alexander Rakhlin and Karthik Sridharan. Online non-parametric regression. In *Conference on Learning Theory*, pages 1232–1264. PMLR, 2014.

Alexander Rakhlin, Ohad Shamir, and Karthik Sridharan. Relax and randomize: From value to algorithms. *Advances in Neural Information Processing Systems*, 25, 2012.

Frank Rosenblatt. The perceptron: a probabilistic model for information storage and organization in the brain. *Psychological review*, 65(6):386, 1958.

Shai Shalev-Shwartz. Online learning and online convex optimization. *Found. Trends Mach. Learn.*, 4(2):107–194, 2012. doi: 10.1561/22000000018. URL <https://doi.org/10.1561/22000000018>.

Shai Shalev-Shwartz and Shai Ben-David. *Understanding machine learning: From theory to algorithms*. Cambridge university press, 2014.

Vladimir Vapnik and Alexey Chervonenkis. *Theory of Pattern Recognition*. Nauka, 1974.

Volodimir G Vovk. Aggregating strategies. *Proc. of Computational Learning Theory*, 1990, 1990.

Appendix A. Background and Basic Definitions

Unless stated otherwise, our logarithms are base 2.

Online Learning. Let \mathcal{X} be a set called the *domain*, and \mathcal{Y} be a set called the *label set*. In this work we focus on *binary classification*, and thus $\mathcal{Y} = \{0, 1\}$. A pair $(x, y) \in \mathcal{X} \times \mathcal{Y}$ is called an *example*, and an element $x \in \mathcal{X}$ is called an *instance* or an *unlabeled example*. A function $h: \mathcal{X} \rightarrow \mathcal{Y}$ is called a *hypothesis* or a *concept*. A *hypothesis class*, or a *concept class*, is a set $\mathcal{H} \subset \mathcal{Y}^{\mathcal{X}}$. A sequence of examples $S = \{(x_i, y_i)\}_{i=1}^t$ is said to be *realizable* by \mathcal{H} if there exists $h \in \mathcal{H}$ such that $h(x_i) = y_i$ for all $1 \leq i \leq t$.

Online learning (Shalev-Shwartz and Ben-David, 2014; Cesa-Bianchi, Freund, Haussler, Helmbold, Schapire, and Warmuth, 1997) is a repeated game between a learner and an adversary. Each round i in the game proceeds as follows:

- (i) The adversary sends the learner an unlabeled example $x_i \in \mathcal{X}$.
- (ii) The learner predicts a value $p_i \in [0, 1]$ and reveals it to the adversary.
- (iii) The adversary reveals the true label y_i , and the learner suffers the *loss* $|y_i - p_i|$.

The value p_i should be understood as the probability (over the learner’s randomness) of predicting $y_i = 1$. Notice that the adversary only gets to see p_i , which reflects the assumption that the adversary does not know the learner’s internal randomness. Notice also that the suffered loss $|y_i - p_i|$ exactly captures the probability that the learner makes a mistake. The above is a standard way to model randomized learners in online learning, see e.g. (Shalev-Shwartz, 2012). If $p_i \in \{0, 1\}$ for all i , then the learner is *deterministic*, in which case $|y_i - p_i|$ is the binary indicator for whether the learner made a mistake.

We model learners as functions $\text{Lrn}: (\mathcal{X} \times \mathcal{Y})^* \times \mathcal{X} \rightarrow [0, 1]$. Given a learning rule Lrn and an input sequence of examples $S = (x_1, y_1), \dots, (x_t, y_t)$, we denote the (expected) number of mistakes Lrn makes on S by

$$M(\text{Lrn}; S) = \sum_{i=1}^t |y_i - p_i|,$$

where $p_i = \text{Lrn}((x_1, y_1), \dots, (x_{i-1}, y_{i-1}), x_i)$ is the prediction of the learner on the i 'th example.

An hypothesis class \mathcal{H} is *online learnable* (or *learnable*) if there exists a finite bound M and a learning rule Lrn such that for any input sequence S which is realizable by \mathcal{H} it holds that $M(\text{Lrn}; S) \leq M$. We define the *optimal* randomized mistake bound of \mathcal{H} to be

$$M^*(\mathcal{H}) = \inf_{\text{Lrn}} \sup_S M(\text{Lrn}; S) \quad (2)$$

where the infimum is taken over all learning rules, and the supremum is taken over all realizable input sequences S .

We denote by $M_D^*(\mathcal{H})$ the optimal deterministic mistake bound of \mathcal{H} . That is, $M_D^*(\mathcal{H})$ is defined in the same way as $M^*(\mathcal{H})$, with the additional restriction that Lrn must be deterministic (that is, the output must be in $\{0, 1\}$).

When $\mathcal{H} = \emptyset$, the set of realizable input sequences is empty, and therefore the supremum is not defined. It is technically convenient to deal with this special case by defining $M_D^*(\emptyset) = M^*(\emptyset) = -1$. When the context is clear, we may sometimes refer to the deterministic or randomized mistake bound as the *accumulating loss* of the learner through the entire game, or simply as the learner's *loss* through the entire game.

Decision Trees and the Littlestone Dimension. In this paper, a *tree* T refers to a finite full rooted ordered binary tree (that is, a rooted binary tree where each node which is not a leaf has a left child and a right child), equipped with the following information:

1. Each internal node v is associated with an instance $x \in \mathcal{X}$.
2. For every internal node v , the left outgoing edge is associated with the label 0, and the right outgoing edge is associated with the label 1.

We stress that by default, the trees we consider are finite and their vertices are labeled. Whenever we consider infinite trees or unlabeled trees, we specifically mention these attributes.

The tree is directed from the root towards the leaves.

A *prefix* of the tree T is any path that starts at the root. In this paper, a path is defined by a sequence of consecutive vertices. If a path is not empty, we may refer it by the sequence of consecutive edges corresponding with the sequence of consecutive vertices defining it. A prefix v_0, v_1, \dots, v_t defines a sequence of examples $(x_1, y_1), \dots, (x_t, y_t)$ in a natural way: for every $i \in [t]$, x_i is the instance corresponding to the node v_{i-1} , and y_i is the label corresponding to the edge $v_{i-1} \rightarrow v_i$. A prefix is called *maximal* if it is maximal with respect to containment, that is, there is no prefix in the tree that strictly contains it. This is equivalent to requiring that v_t be a leaf. A maximal prefix is called a *branch*, and the set of branches of T is denoted by $B(T)$. The length of a prefix is the number of edges in it (so, the length is equal to the size of the corresponding sequence of examples).

A prefix in the tree is said to be *realizable* by \mathcal{H} if the corresponding sequence of examples is realizable by \mathcal{H} . A tree T is *shattered* by \mathcal{H} if all branches in T are realizable by \mathcal{H} . The *Littlestone dimension* of an hypothesis class \mathcal{H} , denoted by $L = L(\mathcal{H})$, is the maximal depth of a *complete* (also known as *perfect*, or *balanced*) binary tree (that is, a tree in which all branches have the same depth) shattered by \mathcal{H} if $\mathcal{H} \neq \emptyset$, and -1 when $\mathcal{H} = \emptyset$. If the maximum does not exist, then $L = \infty$.

Littlestone Dimension \equiv Optimal Deterministic Mistake Bound. In his seminal work from 1988, Nick Littlestone proved that the optimal mistake bound of a deterministic learner is characterized by the Littlestone dimension:

Theorem 9 (Optimal Deterministic Mistake Bound (Littlestone, 1988)) *Let \mathcal{H} be an hypothesis class. Then, \mathcal{H} is online learnable if and only if $L(\mathcal{H}) < \infty$. Further, the optimal deterministic mistake bound satisfies $M_D^*(\mathcal{H}) = L(\mathcal{H})$.*

Doob’s Exposure Martingales. Let $f: \{0, 1\}^{\mathbb{N}} \rightarrow \mathbb{R}$. Consider the random variable $X = f(\mathbf{b})$, where \mathbf{b} is sampled uniformly at random. Define a sequence L_0, L_1, L_2, \dots , each defined by $L_i = \mathbb{E}[X | b_1, \dots, b_{i-1}]$ (so $L_0 = \mathbb{E}[X]$). The sequence L_0, L_1, L_2, \dots is called an *exposure martingale*. It is well-known that an exposure martingale is indeed a martingale (Doob, 1953).

Appendix B. Randomized Littlestone Dimension and Optimal Expected Mistake Bound

In this section we study the randomized Littlestone dimension. We start with Section B.1, in which we define the randomized Littlestone dimension and prove that it characterizes the optimal randomized mistake bound exactly.

The randomized Littlestone dimension is defined using trees, which correspond to strategies of the adversary. We study a special class of trees, *quasi-balanced trees*, in Section C.1. We show that they give optimal strategies for the adversary. Several applications of quasi-balanced trees are presented in Section C.3; more applications are found throughout the paper. We close this section by showing how to accommodate infinite trees (Section B.2), and by briefly discussing the issue of trees attaining the randomized Littlestone dimension exactly (Section B.3); more discussion on the latter issue appears in Section E.

B.1. Main Result and Proof

The first main contribution of this paper is a characterization of the optimal randomized mistake bound in terms of a combinatorial parameter we call the *randomized Littlestone dimension* and denote by $RL = RL(\mathcal{H})$.

We define $RL(\mathcal{H})$ using a natural distribution on the branches of trees (a branch is a root-to-leaf path). Given a tree T , a *random branch* is chosen by starting at the root, and at each step, picking an edge leaving the current vertex uniformly at random, until reaching a leaf. We denote the expected length of a random branch by E_T . It is given explicitly by the formula

$$E_T = \sum_{b \in B(T)} |b| \cdot 2^{-|b|},$$

where $B(T)$ is the set of branches of T . If we think of a random branch as a distribution over $B(T)$, then E_T is its entropy.

It is convenient to define the length of the empty branch to be -1 . With this convention, the expected branch length in T satisfies the recursion

$$E_T = 1 + \frac{E_{T_0} + E_{T_1}}{2}, \tag{3}$$

where T_0, T_1 are the subtrees of the root of T , which are empty when T is a leaf.

Definition 10 (Randomized Littlestone Dimension) *Let \mathcal{H} be an hypothesis class. The randomized Littlestone dimension of \mathcal{H} , denoted by $\text{RL}(\mathcal{H})$, is defined by*

$$\text{RL}(\mathcal{H}) = \frac{1}{2} \sup_{T \text{ shattered}} E_T.$$

In the special case when $\mathcal{H} = \emptyset$, define $\text{RL}(\mathcal{H}) = -1$.

To compare $\text{RL}(\mathcal{H})$ with $L(\mathcal{H})$, let us consider the following equivalent way of defining $L(\mathcal{H})$:

$$L(\mathcal{H}) = \sup_{T \text{ shattered}} m_T,$$

where m_T is the minimum length of a branch in T . Thus, the difference is that in $\text{RL}(\mathcal{H})$ we take the expected depth rather than the minimal depth, and multiply by a factor of $1/2$.

Theorem 11 (Optimal Randomized Mistake Bound) *Let \mathcal{H} be an hypothesis class. Then,*

$$M^*(\mathcal{H}) = \text{RL}(\mathcal{H}).$$

We prove the theorem in Subsection B.1.1 using *randomized SOA*, a randomized adaptation of Littlestone’s classical SOA algorithm. This shows that the infimum in Equation (2) is realized by a minimizer.

B.1.1. PROOF OF THEOREM 11

The case $\mathcal{H} = \emptyset$ holds by definition. Therefore we assume that $\mathcal{H} \neq \emptyset$. The lower bound “ $\text{RL}(\mathcal{H}) \leq M^*(\mathcal{H})$ ” boils down to the following lemma:

Lemma 12 *Let \mathcal{H} be an hypothesis class, and let T be a finite tree which is shattered by \mathcal{H} . Then, for every learning rule Lrn there exists a realizable sequence S so that $M(\text{Lrn}; S) \geq E_T/2$. Moreover, there exists such a sequence S which corresponds to one of the branches of T .*

Proof The proof is given by a simple probabilistic argument. Suppose that we pick a random branch in the tree according to the random branch distribution: begin at the root, pick a random child of the root uniformly at random, and recursively pick a random branch in the corresponding subtree. Consider the random variable

$$L_T = M(\text{Lrn}; S),$$

where S is the sequence of examples corresponding to a random branch drawn as above. It suffices to show that $\mathbb{E}[L_T] = E_T/2$. We prove this by induction on the depth of T .

In the base case, T is a single leaf, and there are no internal nodes. Hence S is always the empty sequence, and $\mathbb{E}[L_T] = 0 = E_T/2$, as required.

For the induction step, let T_0 and T_1 be the left and right subtrees of T , respectively. The expected loss of Lrn on the first example in S is $1/2$, because the label $y \in \{0, 1\}$ is chosen uniformly at random, independently of the learner’s prediction (formally, $\frac{|0-p|+|1-p|}{2} = 1/2$ for all $p \in [0, 1]$). Therefore, by linearity of expectation,

$$\mathbb{E}[L_T] = \frac{1 + \mathbb{E}[L_{T_0}] + \mathbb{E}[L_{T_1}]}{2}$$

$$\begin{aligned}
 &= \frac{1 + E_{T_0}/2 + E_{T_1}/2}{2} && \text{(by the induction hypothesis)} \\
 &= E_T/2, && \text{(by Eq. (3))}
 \end{aligned}$$

as required. ■

By applying Lemma 12 on every shattered tree and taking the supremum, we conclude the lower bound:

Corollary 13 (Lower bound) *For every hypothesis class \mathcal{H} it holds that $M^*(\mathcal{H}) \geq \text{RL}(\mathcal{H})$.*

We now turn to prove the upper bound “ $\text{RL}(\mathcal{H}) \geq M^*(\mathcal{H})$ ”. This is achieved via the RandSOA learning rule, described in Figure 1.

We begin with the following useful property of RL:

Observation 14 *Let \mathcal{H} be a non-empty hypothesis class. Then,*

$$\text{RL}(\mathcal{H}) = \frac{1}{2} \sup_{x \in \mathcal{X}} (1 + \text{RL}(\mathcal{H}_{x \rightarrow 0}) + \text{RL}(\mathcal{H}_{x \rightarrow 1})).$$

Proof Observation 14 follows from Equation (3): let $\mathcal{S}(\mathcal{H})$ denote the set of trees that are shattered by \mathcal{H} , and for $x \in \mathcal{X}$, let $\mathcal{S}_x(\mathcal{H}) \subseteq \mathcal{S}(\mathcal{H})$ denote the set of trees that are shattered by \mathcal{H} whose root is labeled by x . Then,

$$\text{RL}(\mathcal{H}) = \frac{1}{2} \sup_{T \in \mathcal{S}(\mathcal{H})} E_T = \frac{1}{2} \sup_x \sup_{T \in \mathcal{S}_x(\mathcal{H})} E_T.$$

By Equation (3),

$$\sup_{T \in \mathcal{S}_x(\mathcal{H})} E_T = 1 + \frac{\sup_{T_1 \in \mathcal{S}(\mathcal{H}_{x \rightarrow 1})} E_{T_1} + \sup_{T_0 \in \mathcal{S}(\mathcal{H}_{x \rightarrow 0})} E_{T_0}}{2} = 1 + \text{RL}(\mathcal{H}_{x \rightarrow 1}) + \text{RL}(\mathcal{H}_{x \rightarrow 0}),$$

which finishes the proof. ■

Notice that the classical Littlestone dimension satisfies a similar recursion:

$$L(\mathcal{H}) = \sup_{x \in \mathcal{X}} (1 + \min\{L(\mathcal{H}_{x \rightarrow 1}), L(\mathcal{H}_{x \rightarrow 0})\}).$$

The following lemma is the crux of the analysis: it guides the choice of the prediction p_i in each round.

Lemma 15 (Optimal prediction for each round) *Let \mathcal{H} be an hypothesis class, and let $x \in \mathcal{X}$. Then there exists $p \in [0, 1]$ so that*

$$p + \text{RL}(\mathcal{H}_{x \rightarrow 0}) \leq \text{RL}(\mathcal{H}) \quad \text{and} \quad (1 - p) + \text{RL}(\mathcal{H}_{x \rightarrow 1}) \leq \text{RL}(\mathcal{H}).$$

RandSOA: RANDOMIZED SOA

Input: An hypothesis class \mathcal{H} .

Initialize: Let $V^{(1)} = \mathcal{H}$.

For $i = 1, 2, \dots$

1. Receive x_i .
2. Predict $p_i \in [0, 1]$ such that the value

$$\max \left\{ p_i + \text{RL} \left(V_{x_i \rightarrow 0}^{(i)} \right), 1 - p_i + \text{RL} \left(V_{x_i \rightarrow 1}^{(i)} \right) \right\} \quad (4)$$

is minimized, where $V_{x_i \rightarrow b}^{(i)} = \{h \in V^{(i)} : h(x_i) = b\}$.

3. Receive true label y_i .
4. Update $V^{(i+1)} = V_{x_i \rightarrow y_i}^{(i)}$.

Figure 1: The randomized SOA is a variation of SOA that finds an optimal randomized prediction in every round. SOA is the name of the original deterministic algorithm by [Littlestone \(1988\)](#), and it stands for “Standard Optimal Algorithm”.

Proof [Proof of Lemma 15] If $\text{RL}(\mathcal{H}) = \infty$ then the lemma is trivial. Therefore we assume that $\text{RL}(\mathcal{H}) < \infty$. Assume first that $|\text{RL}(\mathcal{H}_{x \rightarrow 0}) - \text{RL}(\mathcal{H}_{x \rightarrow 1})| > 1$. If $\text{RL}(\mathcal{H}_{x \rightarrow 0}) + 1 < \text{RL}(\mathcal{H}_{x \rightarrow 1})$, then by choosing $p = 1$ and applying the fact that $\text{RL}(\mathcal{H}') \leq \text{RL}(\mathcal{H})$ if $\mathcal{H}' \subseteq \mathcal{H}$ we get

$$\begin{aligned} p + \text{RL}(\mathcal{H}_{x \rightarrow 0}) &= 1 + \text{RL}(\mathcal{H}_{x \rightarrow 0}) < \text{RL}(\mathcal{H}_{x \rightarrow 1}) \leq \text{RL}(\mathcal{H}), \\ 1 - p + \text{RL}(\mathcal{H}_{x \rightarrow 1}) &= \text{RL}(\mathcal{H}_{x \rightarrow 1}) \leq \text{RL}(\mathcal{H}), \end{aligned}$$

as desired. The case $\text{RL}(\mathcal{H}_{x \rightarrow 1}) + 1 < \text{RL}(\mathcal{H}_{x \rightarrow 0})$ is treated similarly.

It remains to handle the case when $|\text{RL}(\mathcal{H}_{x \rightarrow 0}) - \text{RL}(\mathcal{H}_{x \rightarrow 1})| \leq 1$. Set

$$p := \frac{1 + \text{RL}(\mathcal{H}_{x \rightarrow 1}) - \text{RL}(\mathcal{H}_{x \rightarrow 0})}{2}.$$

By assumption, $p \in [0, 1]$, and also

$$\begin{aligned} p + \text{RL}(\mathcal{H}_{x \rightarrow 0}) &= 1 - p + \text{RL}(\mathcal{H}_{x \rightarrow 1}) \\ &= \frac{1 + \text{RL}(\mathcal{H}_{x \rightarrow 0}) + \text{RL}(\mathcal{H}_{x \rightarrow 1})}{2} \\ &\leq \text{RL}(\mathcal{H}). \end{aligned} \tag{Observation 14}$$

■

Lemma 16 (Upper bound) *Let \mathcal{H} be an hypothesis class. Then the RandSOA learner described in Figure 1 has expected mistake bound*

$$\mathbb{M}(\text{RandSOA}; S) \leq \text{RL}(\mathcal{H})$$

for every realizable input sequence S .

Proof The proof is by induction on the length of the input sequence. Let $S = (x_1, y_1), \dots, (x_t, y_t)$ be a realizable sequence. In the base case $t = 0$ we have $\mathbb{M}(\text{RandSOA}; S) = 0 \leq \text{RL}(\mathcal{H})$. For the induction step, assume that $t \geq 1$, and let $S' = (x_2, y_2), \dots, (x_t, y_t)$ be the input sequence without the first example. In the first round, the learner predicts $p_1 \in [0, 1]$ as defined in step 2 of RandSOA. Thus, the learner's expected accumulated loss on S is

$$\mathbb{M}(\text{RandSOA}; S) = |p_1 - y_1| + \mathbb{M}(\text{RandSOA}; S'). \tag{5}$$

By the induction hypothesis we have

$$\mathbb{M}(\text{RandSOA}; S') \leq \text{RL}(\mathcal{H}_{x_1 \rightarrow y_1}). \tag{6}$$

Also, by Lemma 15 it holds that $p_1 + \text{RL}(\mathcal{H}_{x_1 \rightarrow 0}) \leq \text{RL}(\mathcal{H})$ and $1 - p_1 + \text{RL}(\mathcal{H}_{x_1 \rightarrow 1}) \leq \text{RL}(\mathcal{H})$, which is equivalent to

$$|p_1 - y_1| + \text{RL}(\mathcal{H}_{x_1 \rightarrow y_1}) \leq \text{RL}(\mathcal{H}). \tag{7}$$

Therefore, overall we get that

$$\begin{aligned} \mathbb{M}(\text{RandSOA}; S) &= |p_1 - y_1| + \mathbb{M}(\text{RandSOA}; S') && \text{(Eq. (5))} \\ &\leq |p_1 - y_1| + \text{RL}(\mathcal{H}_{x_1 \rightarrow y_1}) && \text{(Eq. (6))} \\ &\leq \text{RL}(\mathcal{H}), && \text{(Eq. (7))} \end{aligned}$$

as required. ■




Figure 2: An infinite tree with finite expected branch length 2.

B.2. Infinite Trees

So far we have been considering only finite trees. However, in the sequel it will be useful to also allow infinite trees. In this short subsection, we extend the definition of E_T to infinite trees, and show that the formula for RL holds even when allowing infinite trees.

In this section, whenever we refer to trees, we mean full ordered binary trees, which are possibly infinite. A tree is *shattered* by an hypothesis class \mathcal{H} if every (possibly infinite) path starting at the root is realizable by \mathcal{H} .

We define a *random path* in the same way that we defined a random branch in the finite case: start at the root, and at each internal vertex, choose a random child at uniform, stopping if a leaf is reached. The result is either a (finite) branch or an infinite path.

We define E_T as the expected length of a random path. If the random path is finite almost surely, then E_T is given using the same formula as in the finite case:

$$E_T = \sum_{b \in B(T)} |b| \cdot 2^{-|b|}.$$

Figure 2 gives an example of such a tree. If the random path is infinite with positive probability, then $E_T = \infty$. It can also happen that $E_T = \infty$ if the random path is finite almost surely.

The formula in Definition 10 holds even if we allow infinite trees.

Lemma 17 *For any non-empty hypothesis class \mathcal{H} ,*

$$\text{RL}(\mathcal{H}) = \frac{1}{2} \sup_{T \text{ shattered}} E_T,$$

where the supremum is taken over possibly infinite trees.

The proof of the lemma uses a straightforward truncation argument.

Proof Substituting the definition of $\text{RL}(\mathcal{H})$, we need to prove that

$$\frac{1}{2} \sup_{T \text{ shattered, finite}} E_T = \frac{1}{2} \sup_{T \text{ shattered}} E_T.$$

The left-hand side is clearly at most the right-hand side. We show that they coincide by constructing, for each infinite shattered tree T , a sequence of finite shattered trees T_D such that

$$E_T = \lim_{D \rightarrow \infty} E_{T_D}. \quad (8)$$

The tree T_D is simply the truncation of T to depth D (that is, all branches of T_D have length at most D). To prove Equation (8), let $\Lambda \in \mathbb{N} \cup \{\infty\}$ be the length of a random path in T , and let $\Lambda_D \in \{0, \dots, D\}$ be the length of a random path in T_D . We can couple the random paths so that $\Lambda_D = \min(\Lambda, D)$.

If Λ is almost surely finite then

$$E_T = \sum_{\ell \in \mathbb{N}} \ell \Pr[\Lambda = \ell].$$

Equation (8) holds because on the one hand, $E_{T_D} \leq E_T$, and on the other hand,

$$E_{T_D} \geq \sum_{\ell \leq D} \ell \Pr[\Lambda = \ell] \xrightarrow{D \rightarrow \infty} E_T.$$

In contrast, if $p := \Pr[\Lambda = \infty] > 0$ then $\Pr[\Lambda_D = D] \geq p$ and so $E_{T_D} \geq pD \rightarrow \infty$, hence Equation (8) again holds. \blacksquare

B.3. Trees Maximizing the Expected Branch Length

The sequence of trees $(T_i)_{i=1}^{\infty}$ described in Example 32 suggests that for “well-behaved classes”, the supremum in Theorem 11 is attained by a specific tree. We show that this is true for finite classes.

Proposition 18 *Let \mathcal{H} be a finite hypothesis class. Then there exists a tree shattered by \mathcal{H} such that*

$$\text{RL}(\mathcal{H}) = \frac{1}{2} E_T.$$

Proof Let T be a tree shattered by \mathcal{H} . We can label each branch of T by an hypothesis realizing it. Each branch must be labeled by a different hypothesis, hence the number of branches is at most $|\mathcal{H}|$. Consequently, there are only finitely many shattered trees, and so the supremum in the definition of $\text{RL}(\mathcal{H})$ is trivially achieved. \blacksquare

There are also classes for which the maximum is not attained, even if we allow infinite trees.

Example 19 (Maximum is not necessarily attained for infinite classes) *We construct an hypothesis class \mathcal{H} over the domain $\mathcal{X} = \{(i, j) \in \mathbb{N}^2 : 1 \leq i \leq j\}$. For each $(i, j) \in \mathcal{X}$, the hypothesis class \mathcal{H} contains the function*

$$h_{i,j}(I, J) = \begin{cases} 1 & \text{if } J \neq j, \\ 1[i = I] & \text{if } J = j. \end{cases}$$

Let us start by computing $\text{L}(\mathcal{H})$. Consider any tree T shattered by \mathcal{H} which is not a leaf. Suppose that the root is labeled by (i, j) . Let T_0 be the subtree rooted at the branch of the root labeled 0. Since no hypothesis in \mathcal{H} gives 0 to inputs with different second parts, all vertices in T_0 must be labeled by (i', j) . Since no hypothesis in \mathcal{H} gives 0 to (i, j) and 1 to two different (i', j) , we see that the minimum branch length in T_0 is at most 1, and so the minimum branch length in T is at most 2. Hence $\text{L}(\mathcal{H}) \leq 2$. It is easy to construct a tree showing that $\text{L}(\mathcal{H}) = 2$.

The subtree T_0 contains at most j branches, and each edge labeled 1 terminates at a leaf. A simple induction on j shows that the expected branch length of such a tree is strictly less than 2. Indeed, denoting the expected branch length for a given value of $j \geq 2$ by A_j , we have $A_2 = 1 = 2 - 2^{2-2}$ and $A_j = 1 + A_{j-1}/2 = 1 + \frac{1}{2}(2 - 2^{2-j+1}) = 2 - 2^{2-j}$.

Let j_s be the number of leaves in the subtree rooted at the vertex obtained by starting at the root of T , taking s times the outgoing edge labeled 1, and then the outgoing edge labeled 0 (if such a vertex exists). Thus

$$E_T = \sum_{s=0}^S 2^{-s-1}(s+1+A_{j_s}) < \sum_{s=0}^S 2^{-s-1}(s+3) \leq 4,$$

where S is the maximal value for which j_s is defined (possibly $S = \infty$).

On the other hand, we can construct a tree T shattered by \mathcal{H} for which E_T is arbitrarily close to 4. Start with an infinite right path (that is, a path in which all edges are labeled 1) labeled with $(1, K), (1, K+1), (1, K+2)$ and so on, for some parameter K . The left branch of a vertex labeled $(1, J)$ is labeled using $(2, J), \dots, (J-1, J)$ to construct a tree T'_j shattered by \mathcal{H} with $J-1$ branches, as described in Figure 3. This tree satisfies $j_s = K + s - 1$, and so

$$E_T = \sum_{s=0}^{\infty} 2^{-s-1}(s+3-2^{1-K-s}) = 4 - O(2^{-K}),$$

which is arbitrarily close to 4. Thus $\text{RL}(\mathcal{H}) = 2$, but every (possibly infinite) tree T shattered by \mathcal{H} satisfies $E_T/2 < 2$.

Appendix C. Quasi-balanced Trees

C.1. Definition and Basic Properties

The classical definition of the Littlestone dimension of a class \mathcal{H} is the maximum depth of a balanced (or complete) shattered tree. In contrast, the randomized Littlestone dimension is defined via quantifying over *all* shattered trees. Further, in the deterministic case, balanced trees naturally describe optimal deterministic strategies for the adversary which force any learner to make a mistake on every example along a branch of the tree.

It is therefore natural to ask whether there is a type of shattered trees, analogous to balanced trees, which can be used to define the randomized Littlestone dimension. In this subsection, we show that such an analog exists: a type of trees which we call *quasi-balanced*; roughly speaking, quasi-balanced trees can be seen as a fractional relaxation of balanced trees. We further use this section to prove some useful properties of these trees, which will be used later on.

Informally, quasi-balanced trees are balanced under some weight function defined on the edges. To formally define quasi-balanced trees, we need to define *weight functions* for trees.

Let T be a non-empty tree with edge set E . Let $\mathcal{W} = \mathcal{W}(T)$ be the set of all functions $w: E \rightarrow [0, 1]$, such that for every internal node with outgoing edges e_0, e_1 it holds that $w(e_0) + w(e_1) = 1$. Each function in \mathcal{W} is called a *weight function* for T .

For every branch $b \in B(T)$ defined by a sequence of consecutive edges, define the *weight of the branch b with respect to w* by $w(b) = \sum_{e \in b} w(e)$.

The expected weight of a random branch is always half the expected length of a random branch, as a simple inductive argument shows.




Figure 3: The tree T'_J defined in Example 19.




Figure 4: A quasi-balanced tree. The edges are labeled with the unique weights. The sum of weights in each branch is $\frac{7}{8}$, which is half the expected branch length $\frac{7}{4}$.

Lemma 20 *For every non-empty tree T and every weight function $w \in \mathcal{W}(T)$, the expected weight of a random branch is $E_T/2$.*

Proof The proof is by induction on the depth of the tree. If T is a leaf then the expected weight of a random branch is $0 = E_T/2$. If T is not a leaf, let e_0, e_1 be the edges emanating from the root, and let T_0, T_1 be the corresponding subtrees. Applying the inductive hypothesis, the expected weight of a random branch in T under w is

$$\frac{w(e_0) + E_{T_0}/2}{2} + \frac{w(e_1) + E_{T_1}/2}{2} = \frac{1 + E_{T_0}/2 + E_{T_1}/2}{2} = E_T/2,$$

using $w(e_0) + w(e_1) = 1$ and Equation (3). ■

This lemma prompts the following definition.

Definition 21 *A tree T is quasi-balanced if it is non-empty and there is a weight function $w \in \mathcal{W}(T)$ under which all branches have weight $E_T/2$.*

We call $E_T/2$ the *weight* of the tree, and denote it by λ_T .

Lemma 22 *If a tree T is quasi-balanced then there is a unique weight function w under which all branches have the same weight. Explicitly, if T' is a subtree of T whose root is connected via edges e_0, e_1 to the subtrees T_0, T_1 , then*

$$w(e_0) = \frac{1 + \lambda_{T_1} - \lambda_{T_0}}{2} \text{ and } w(e_1) = \frac{1 + \lambda_{T_0} - \lambda_{T_1}}{2}.$$

Proof The trees T', T_0, T_1 are necessarily quasi-balanced, and in particular

$$w(e_0) + \lambda_{T_0} = w(e_1) + \lambda_{T_1}.$$

Since $w(e_0) + w(e_1) = 1$, we can solve for $w(e_0), w(e_1)$, obtaining the claimed formula. ■

Quasi-balanced trees are a generalization of balanced trees: every tree T which is balanced is also quasi-balanced with weight $\lambda_T = d/2$, where d is the depth of T . This weight is realized by the (unique) constant weight function that gives weight $1/2$ to all edges. The family of quasi-balanced trees is, however, much broader than the family of balanced trees. (Figure 5 gives an example of a quasi-balanced tree which is not balanced).

Recall the definition of the randomized Littlestone dimension of the class \mathcal{H} :

$$\text{RL}(\mathcal{H}) = \frac{1}{2} \sup_{T \text{ shattered}} E_T.$$

It turns out that in this definition, it suffices to take the supremum only over quasi-balanced trees. This will be easier to see through the characterization of quasi-balanced trees as *monotone* trees.

Definition 23 (Monotone Trees) *A non-empty tree T is weakly monotone if*

$$E_T \geq \max\{E_{T_0}, E_{T_1}\},$$

where T_0 and T_1 are the subtrees rooted at the children of the root of T . A tree is monotone if it is non-empty and all of its subtrees are weakly monotone.

It is not hard to see that non-monotone trees need not be considered when computing the randomized Littlestone dimension.

Lemma 24 *For any non-empty hypothesis class \mathcal{H} ,*

$$\text{RL}(\mathcal{H}) = \frac{1}{2} \sup_{T \text{ shattered, monotone}} E_T.$$

Proof Consider a tree T shattered by \mathcal{H} which is not monotone. Then there exists a vertex v such that $E_{T_v} < E_{T_w}$, where T_w is a tree rooted at a child of v . If we replace the subtree rooted at v with the subtree T_w , we get a tree which is also shattered by \mathcal{H} , and has higher expected branch length.

Repeating this process finitely many times, for each tree T shattered by \mathcal{H} we obtain a monotone tree T' shattered by \mathcal{H} satisfying $E_{T'} \geq E_T$, and the lemma follows. \blacksquare

The following theorem asserts that monotone and quasi-balanced trees are indeed equivalent.

Theorem 25 *A tree is quasi-balanced if and only if it is monotone.*

Corollary 26 *For any non-empty hypothesis class \mathcal{H} ,*

$$\text{RL}(\mathcal{H}) = \frac{1}{2} \sup_{T \text{ shattered, quasi-balanced}} E_T.$$

To prove Theorem 25, we use the following simple observation.

Observation 27 *Let T be a non-empty tree. Then T is weakly monotone if and only if $|E_{T_0} - E_{T_1}| \leq 2$, where T_0 and T_1 are the subtrees rooted at the children of the root of T .*

Proof Equation (3) states that $2E_T = 2 + E_{T_0} + E_{T_1}$, and so $E_{T_0} \leq E_T$ is equivalent to $E_{T_0} - E_{T_1} \leq 2$. Similarly, $E_{T_1} \leq E_T$ is equivalent to $E_{T_1} - E_{T_0} \leq 2$. Hence T is weakly monotone iff $|E_{T_0} - E_{T_1}| \leq 2$. \blacksquare

Proof [Proof of Theorem 25] An empty tree is neither quasi-balanced nor monotone. Suppose therefore that we are given a non-empty tree T . We prove the equivalence by proving both implications separately.

Monotone \implies Quasi-balanced. The proof is by induction on the depth of the tree. A tree of depth 0 (the base case) is quasi-balanced with weight $E_T/2 = 0$. For the induction step, let T_0, T_1 be the subtrees rooted at the root's children. They are clearly monotone, and so by induction, there are weight functions $w_0 \in \mathcal{W}(T_0)$ and $w_1 \in \mathcal{W}(T_1)$ under which all branches in T_0 have weight $\lambda_{T_0} = E_{T_0}/2$ and all branches in T_1 have weight $\lambda_{T_1} = E_{T_1}/2$.

Let e_0, e_1 be the edges connecting the root of T to the roots of T_0, T_1 , respectively. Define a weight function $w \in \mathcal{W}(T)$ by defining $w(e) = w_0(e)$ if $e \in T_0$, $w(e) = w_1(e)$ if $e \in T_1$,

$$w(e_0) = \frac{1 + \lambda_{T_1} - \lambda_{T_0}}{2}, \quad \text{and} \quad w(e_1) = \frac{1 + \lambda_{T_0} - \lambda_{T_1}}{2}.$$

Clearly $w(e_0) + w(e_1) = 1$. Observation 27 implies that $w(e_0), w(e_1) \in [0, 1]$, and so indeed $w \in \mathcal{W}(T)$. Since $w(e_0) + \lambda_{T_0} = w(e_1) + \lambda_{T_1}$, the weight function w shows that T is quasi-balanced.

Quasi-balanced \implies Monotone. The proof is by induction on the depth of the tree. A tree of depth 0 is monotone. For the induction step, we first observe that every proper subtree of T is quasi-balanced, and so monotone by the inductive hypothesis. Hence it suffices to show that T is weakly monotone.

Let w be the unique weight function for T under which each branch has weight λ_T . Let e_0, e_1 be the edges connecting the root of T to the two subtrees T_0, T_1 . According to Lemma 22, the weights of these edges are

$$w(e_0) = \frac{1 + \lambda_{T_1} - \lambda_{T_0}}{2} \text{ and } w(e_1) = \frac{1 + \lambda_{T_0} - \lambda_{T_1}}{2}.$$

Since the weights are non-negative, we deduce that $|\lambda_{T_0} - \lambda_{T_1}| \leq 1$, and so $|E_{T_0} - E_{T_1}| \leq 2$. We conclude that T is weakly monotone by Observation 27. \blacksquare

C.2. A Concentration Lemma for Quasi-Balanced Trees

Another interesting property of quasi-balanced trees is that the length of a random branch concentrates around its expectation. This property will be important for deriving tight bounds in Section F.

Proposition 28 (Concentration of branch lengths) *Let T be a quasi-balanced tree, and let X be the length of a random branch. Then for any $\epsilon > 0$,*

$$\Pr[X < (1 - \epsilon)E_T] \leq \exp(-\epsilon^2 E_T/4) \quad \text{and} \quad \Pr[X > (1 + \epsilon)E_T] \leq \exp(-\epsilon^2 E_T/4(1 + \epsilon)).$$

Proof If T is a single leaf then the result trivially holds since there is a single random branch. Therefore we can assume that T is not a single leaf, and in particular, $E_T \geq 1$.

Let b_0, b_1, b_2, \dots be an infinite sequence of random coin tosses. We can choose a random branch of T as follows. Let v_0 be the root of T . For $i \in \mathbb{N}$, if v_i is not a leaf, then v_{i+1} is obtained by following the edge labeled b_i . Otherwise, we define $v_{i+1} = v_i$. The resulting random branch has exactly the same distribution that we have been considering so far.

Let L_i be the expected length of the branch given b_0, \dots, b_{i-1} . This is an exposure martingale, as defined in Section A.

In order to apply Azuma's inequality, we need to bound the random difference $|L_i - L_{i+1}|$. If v_i is a leaf, then $L_{i+1} = L_i$. Otherwise, let T' be the subtree rooted at v_i , and let T'_0, T'_1 be the subtrees rooted at the children of v_i . Thus L_{i+1} is either $\lambda_0 := i + 1 + E_{T'_0}$ or $\lambda_1 := i + 1 + E_{T'_1}$, depending on the value of b_i . Moreover, $L_i = (\lambda_0 + \lambda_1)/2$ is the average of these two values.

Theorem 25 shows that T' is weakly monotone, and so Observation 27 shows that $|E_{T'_0} - E_{T'_1}| \leq 2$. Consequently,

$$|L_i - L_{i+1}| = \frac{1}{2}|\lambda_0 - \lambda_1| \leq 1.$$

The definition of L_i implies that $L_\beta = X$ for all $\beta \geq X$. In particular, if $X < (1 - \epsilon)E_T$ then $L_{\lceil E_T \rceil} < (1 - \epsilon)E_T$. Applying Azuma's inequality and using $L_0 = E_T$, it follows that

$$\Pr[X < (1 - \epsilon)E_T] \leq \Pr[L_{\lceil E_T \rceil} - E_T < -\epsilon E_T] \leq \exp\left(\frac{-\epsilon^2 E_T^2}{2\lceil E_T \rceil}\right) \leq \exp(-\epsilon^2 E_T/4),$$

where the final inequality uses $\lceil E_T \rceil \leq E_T + 1 \leq 2E_T$.

The definition of L_i also implies that $L_\beta \geq \beta$ whenever $\beta \leq X$. In particular, if $X > (1 + \epsilon)E_T$ then $L_{\lceil(1+\epsilon)E_T\rceil} \geq \lceil(1 + \epsilon)E_T\rceil$. Therefore

$$\Pr[X > (1+\epsilon)E_T] \leq \Pr[L_{\lceil(1+\epsilon)E_T\rceil} - E_T > \epsilon E_T] \leq \exp\left(\frac{-\epsilon^2 E_T^2}{2\lceil(1+\epsilon)E_T\rceil}\right) \leq \exp(-\epsilon^2 E_T/4(1+\epsilon)),$$

using $(1 + \epsilon)E_T \geq 1$ as before. ■

C.3. Applications of Quasi-Balanced Trees

We now give two applications of quasi-balanced trees. In Section C.3.1 we show that they can be used to give explicit strategies for the adversary. In Section C.3.2 we provide an alternative proof for the folklore inequality $M^*(\mathcal{H}) \leq M_D^*(\mathcal{H}) \leq 2M^*(\mathcal{H})$, which appears implicitly in (Ben-David, Pál, and Shalev-Shwartz, 2009).

C.3.1. OPTIMAL ONLINE ADVERSARIAL STRATEGIES

Lemma 12 states that for every learning rule Lrn there exists a realizable sequence S so that $M(\text{Lrn}; S) \geq E_T/2$. In the proof we showed that if S is chosen according to a random branch, then $\mathbb{E}[M(\text{Lrn}; S)] \geq E_T/2$.

Quasi-balanced trees allow us to explicitly describe strategies which approach $E_T/2$.

Lemma 29 *Let \mathcal{H} be a non-empty hypothesis class, and let T be a quasi-balanced tree shattered by \mathcal{H} , as witnessed by $w \in \mathcal{W}(T)$. Let Lrn be an arbitrary learning rule. Consider the following strategy for the adversary, which traverses T from the root to a leaf, and acts as follows at step i , when at a node v_i with outgoing edges e_0, e_1 :*

1. Send the learner the label x_i of v_i , receiving the answer $p_i \in [0, 1]$.
2. If $p_i \geq w(e_0)$ then set the true label to 0 and proceed accordingly.
3. Otherwise set the true label to 1 and proceed accordingly.

Then the resulting sequence S of examples is realizable by \mathcal{H} and satisfies $M(\text{Lrn}; S) \geq E_T/2$.

Proof It is clear that S is realizable. If $p_i \geq w(e_0)$ then the loss incurred by the learner at step i is $|p_i - 0| \geq w(e_0)$. Otherwise, it is $|1 - p_i| \geq |1 - w(e_0)| = w(e_1)$. Since every path in T has weight exactly $E_T/2$, it follows that the loss of the learner is at least $E_T/2$. ■

An example can be found in Figure 5.

C.3.2. DETERMINISTIC VS RANDOMIZED ONLINE LEARNING

Quasi-balanced trees can be used to give an alternative proof for the following well-known relation between the randomized and deterministic mistake bounds.

Proposition 30 ((Ben-David, Pál, and Shalev-Shwartz, 2009)) *Let $\mathcal{H} \neq \emptyset$ be an hypothesis class. Then*

$$M^*(\mathcal{H}) \leq M_D^*(\mathcal{H}) \leq 2M^*(\mathcal{H}).$$




Figure 5: The tree $T^{(q)}$ is a quasi-balanced tree with weight $\lambda_{T^{(q)}} = 3/4 = E_{T^{(q)}}/2$, which is realized by the weight function w written on the edges. The internal nodes are associated with instances x_1, x_2 . The function w guides the adversary's strategy: Determine x_1 to be the instance in the first round. If $p_1 \leq 1/4$, determine $y_1 = 1$ and finish the game. Otherwise, set $y_1 = 0$, determine the instance in the second round to be x_2 , and finish the game after the second round. Either way, the learner will suffer a loss of at least $3/4$ in total.

Proof [Classic proof] It is obvious that $M^*(\mathcal{H}) \leq M_D^*(\mathcal{H})$, because a deterministic learner is also a special case of a randomized learner.

The inequality $M_D^*(\mathcal{H}) \leq 2M^*(\mathcal{H})$ follows by a simple derandomization which transforms any randomized learner Lrn to a deterministic learner Lrn_D whose mistake bound is at most twice as large. Specifically, Lrn_D is defined as follows. Let S be an input sequence of examples, and let p_i denote the prediction of Lrn on the i 'th example in S . Lrn_D predicts 0 if $p_i \leq 1/2$ and 1 otherwise. Notice that whenever Lrn_D makes a mistake, the loss of Lrn increases by at least $1/2$. Thus, the total number of mistakes made by Lrn_D is at most twice the loss of Lrn . ■

Using Theorem 11 we can give an alternative proof of Proposition 30, which uses the original characterization for the deterministic setting from (Littlestone, 1988). Specifically, we can formulate Proposition 30 in terms of the Littlestone and randomized Littlestone dimensions, and prove it directly using properties of quasi-balanced trees.

The heart of the proof is the following simple lemma, showing that the expected branch length of a quasi-balanced tree is at most twice the minimum branch length.

Proposition 31 *If T is a quasi-balanced tree then $E_T \leq 2m_T$, where m_T is the minimum length of a branch of T .*

Proof The proof is by induction on the depth of T . If T consists of a single vertex then $E_T = m_T = 0$. Otherwise, let T_0, T_1 be the subtrees rooted at the children of the root of T . Applying Equation (3), we get

$$E_T = 1 + E_{T_0}/2 + E_{T_1}/2 = 1 + \min(E_{T_0}, E_{T_1}) + |E_{T_0} - E_{T_1}|/2.$$

Observation 27 shows that $|E_{T_0} - E_{T_1}|/2 \leq 1$, and so applying the inductive hypothesis, we see that

$$E_T \leq 2 + 2 \min(m_{T_0}, m_{T_1}) = 2m_T,$$

which completes the proof. ■




Figure 6: The minimal branch in $T^{(nq)}$ is of length 2, while $E_{T^{(nq)}} = 3.5$. Therefore it holds that $E_{T^{(nq)}}$ is at most twice the minimal branch length. Since every proper subtree of $T^{(nq)}$ is complete, this also holds for all proper subtrees. Nevertheless, $T^{(nq)}$ is not quasi-balanced, since it is not monotone.

We can now give the alternative proof of Proposition 30.

Proof [Alternative proof of Proposition 30] Since $M^*(\mathcal{H}) = \text{RL}(\mathcal{H})$ by Theorem 11 and $M_D^*(\mathcal{H}) = \text{L}(\mathcal{H})$ by Theorem 9, it suffices to prove that

$$\text{RL}(\mathcal{H}) \leq \text{L}(\mathcal{H}) \leq 2\text{RL}(\mathcal{H}).$$

The inequality $\text{L}(\mathcal{H}) \leq 2\text{RL}(\mathcal{H})$ easily follows from the definitions:¹⁰

$$\text{L}(\mathcal{H}) = \sup_{T \text{ shattered}} m_T \quad \text{and} \quad \text{RL}(\mathcal{H}) = \frac{1}{2} \sup_{T \text{ shattered}} E_T.$$

Indeed, the expected depth of a random branch is always at least the minimum depth of a branch.

In order to prove the inequality $\text{RL}(\mathcal{H}) \leq \text{L}(\mathcal{H})$, we use Corollary 26, which allows us to restrict the trees in the definition of $\text{RL}(\mathcal{H})$ to be quasi-balanced. The inequality then immediately follows from Proposition 31. \blacksquare

Unlike Theorem 25, the property of quasi-balanced trees proved in Proposition 31 is not a characterization of quasi-balanced trees. Figure 6 gives an example for a tree that satisfies this property but is not quasi-balanced.

Both inequalities in Proposition 30 can be tight, as the following examples demonstrate.

Example 32 (class \mathcal{H}_1 with $\text{RL}(\mathcal{H}_1) = \text{L}(\mathcal{H}_1)$) Let \mathcal{H}_1 be the class of singletons over \mathbb{N} . That is, $\mathcal{X} = \mathbb{N}$ and $\mathcal{H}_1 = \{h_i : i \in \mathbb{N}\}$, where $h_i(j) = 1$ if and only if $i = j$. Any tree shattered by \mathcal{H}_1 has minimum branch length 1 (since no hypothesis satisfies $h(i) = h(j) = 1$ for $i \neq j$), hence

¹⁰. Notice that in the classic proof, the other inequality is the trivial one.




Figure 7: The tree T_i defined in Example 32.

$L(\mathcal{H}_1) = 1$. In contrast, the tree T_i in Figure 7 is shattered by \mathcal{H}_1 and has expected branch length $2 - 2^{-(i-1)}$, and so $\text{RL}(\mathcal{H}_1) \geq 1$.

In Section B.2 we show how to extend the definition of randomized Littlestone dimension to infinite trees. We can then replace the trees T_i with a single infinite tree T_∞ shattered by \mathcal{H}_1 whose expected branch length is exactly 2.

Example 33 (Class \mathcal{H}_2 with $\text{RL}(\mathcal{H}_2) = L(\mathcal{H}_2)/2$) Let $\mathcal{X} = \{1\}$ and let $\mathcal{H}_2 = \{h_0, h_1\}$, where $h_\ell(1) = \ell$. There are only two non-empty trees shattered by \mathcal{H}_2 : a leaf, and the complete binary tree of depth 1 whose root is labeled 1. Hence $L(\mathcal{H}_2) = 1$ and $\text{RL}(\mathcal{H}_2) = 1/2$.

Appendix D. Bounded Horizon

So far we have not put any restrictions on the number of rounds. However, in many circumstances we are interested in the online learning game when the number of rounds is bounded. We model this by assuming that the learner knows an upper bound on the number of rounds. We define $M^*(\mathcal{H}, \mathbf{T})$ to be the optimal randomized mistake bound when the number of rounds is at most \mathbf{T} .

We can generalize Theorem 11 to this setting. The required notion of randomized Littlestone dimension is

$$\text{RL}(\mathcal{H}, \mathbf{T}) = \frac{1}{2} \sup_{\substack{T \text{ shattered} \\ \text{depth}(T) \leq \mathbf{T}}} E_T.$$

The bounded randomized Littlestone dimension gives the precise mistake bound in this setting.

Theorem 34 (Optimal Randomized Mistake Bound with Finite Horizon) Let \mathcal{H} be an hypothesis class, and let $\mathbf{T} \in \mathbb{N}$. Then,

$$M^*(\mathcal{H}, \mathbf{T}) = \text{RL}(\mathcal{H}, \mathbf{T}).$$

We prove Theorem 34 in Section D.1. This theorem immediately suggests the following questions:




Figure 8: BoundedRandSOA is a bounded variant of RandSOA.

1. How many rounds are needed in order for the adversary to guarantee that the loss of the learner is at least $\text{RL}(\mathcal{H}) - \epsilon$?
 We prove in Section D.2 that $2\text{RL}(\mathcal{H}) + O(\sqrt{\text{RL}(\mathcal{H})} \log(\text{RL}(\mathcal{H})/\epsilon))$ rounds always suffice, and $O(\log(1/\epsilon))$ rounds suffice as long as ϵ is small enough. We discuss the optimality of these bounds in Section D.4.
2. What can we say about the loss of the learner when there are fewer than $2\text{RL}(\mathcal{H})$ rounds?
 A trivial upper bound on $\text{RL}(\mathcal{H}, \mathbf{T})$ is $\mathbf{T}/2$. In Section D.3 we show that this bound is nearly optimal when $\mathbf{T} \leq 2\text{RL}(\mathcal{H})$.

The proofs of these results use concentration bounds on the depth of quasi-balanced trees, which we prove in Section C.2.

D.1. Proof of Theorem 34

In this section we indicate how to generalize the proof of Theorem 11 to the finite horizon setting, proving Theorem 34.

The lower bound $\text{RL}(\mathcal{H}, \mathbf{T}) \leq M^*(\mathcal{H}, \mathbf{T})$ follows directly from the statement of Lemma 12, since the length of S is at most $\text{depth}(T)$.

For the upper bound, we use a straightforward modification of algorithm RandSOA, which appears in Figure 8.

We start by extending Observation 14: if \mathcal{H} is a non-empty hypothesis class and $\mathbf{T} > 0$ then

$$\text{RL}(\mathcal{H}, \mathbf{T}) = \frac{1}{2} \max_{x \in \mathcal{X}} (1 + \text{RL}(\mathcal{H}_{x \rightarrow 0}, \mathbf{T} - 1) + \text{RL}(\mathcal{H}_{x \rightarrow 1}, \mathbf{T} - 1)).$$

The proof is identical. Since there are only finitely many unlabeled trees of depth at most \mathbf{T} , we can replace the supremum with a maximum.

The next step is to generalize Lemma 15, which now states that for every hypothesis class \mathcal{H} , instance $x \in \mathcal{X}$, and $\mathbf{T} > 0$, there exists $p \in [0, 1]$ so that

$$p + \text{RL}(\mathcal{H}_{x \rightarrow 0}, \mathbf{T} - 1) \leq \text{RL}(\mathcal{H}, \mathbf{T}) \quad \text{and} \quad (1 - p) + \text{RL}(\mathcal{H}_{x \rightarrow 1}, \mathbf{T} - 1) \leq \text{RL}(\mathcal{H}, \mathbf{T}).$$

The proof is identical, using the generalized Observation 14.

Finally, we prove the following generalization of Lemma 16: for every hypothesis class \mathcal{H} , any parameter \mathbf{T} , and any realizable input sequence S of length at most \mathbf{T} ,

$$\mathbb{M}(\text{BoundedRandSOA}; S) \leq \text{RL}(\mathcal{H}, \mathbf{T}).$$

The proof is identical, using the generalized Lemma 15.

D.2. Approaching $\text{RL}(\mathcal{H})$

As a simple consequence of the concentration bound proved in Proposition 28, we show that we can approach $\text{RL}(\mathcal{H})$ using relatively shallow trees, quantified as follows.

Proposition 35 *Let \mathcal{H} be a non-empty hypothesis class with finite randomized Littlestone dimension $\text{RL}(\mathcal{H})$.*

For every $\epsilon > 0$ there is a tree T shattered by \mathcal{H} satisfying $E_T/2 \geq \text{RL}(\mathcal{H}) - \epsilon$ whose depth is at most

$$2\text{RL}(\mathcal{H}) + O\left(\sqrt{\text{RL}(\mathcal{H}) \log \frac{\text{RL}(\mathcal{H})}{\epsilon}} + \log \frac{1}{\epsilon}\right) = 2\text{RL}(\mathcal{H}) + O\left(\sqrt{\text{RL}(\mathcal{H}) \log \frac{\text{RL}(\mathcal{H})}{\epsilon}}\right).$$

Given Lemma 29, this means that the adversary can force the learner to suffer a loss of $\text{RL}(\mathcal{H}) - \epsilon$ after only $2\text{RL}(\mathcal{H}) + O(\sqrt{\text{RL}(\mathcal{H}) \log(\text{RL}(\mathcal{H})/\epsilon)} + \log(1/\epsilon))$ rounds. In contrast, at least $2\text{RL}(\mathcal{H}) - 2\epsilon$ rounds are clearly needed, since a learner who predicts $1/2$ at each round suffers a loss of $R/2$ after R rounds.

We prove Proposition 35 via the following technical estimate.

Lemma 36 *Let T be a monotone tree, and let $T^{\leq k}$ result from truncating it to the first k levels (all branches in $T^{\leq k}$ have length at most k). If $k \geq E_T$ then*

$$E_{T^{\leq k}} \geq E_T - 15\sqrt{E_T} \exp\left(-\frac{(k - E_T)^2}{8E_T}\right) - 10 \exp\left(-\frac{k - E_T}{8}\right).$$

Proof Let X be the length of a random branch of T . Using X , we can express the difference between $E_{T^{\leq k}}$ and E_T explicitly:

$$E_T - E_{T^{\leq k}} = \sum_{t=k}^{\infty} \Pr[X > t].$$

Applying Proposition 28, we deduce that the difference is at most

$$\Delta := \sum_{t=k}^{\infty} \exp\left(-\frac{(t - E_T)^2}{4t}\right) \leq \exp\left(-\frac{(k - E_T)^2}{4k}\right) + \int_k^{\infty} \exp\left(-\frac{(t - E_T)^2}{4t}\right) dt.$$

If $k \leq 2E_T$ then

$$\begin{aligned} \Delta &\leq \exp\left(-\frac{(k-E_T)^2}{4k}\right) + \int_k^{2E_T} \exp\left(-\frac{(t-E_T)^2}{8E_T}\right) dt + \int_{2E_T}^{\infty} \exp\left(-\frac{t-E_T}{8}\right) dt \\ &\leq 5\sqrt{E_T} \exp\left(-\frac{(k-E_T)^2}{8E_T}\right) + 8 \exp\left(-\frac{E_T}{8}\right) \leq 15\sqrt{E_T} \exp\left(-\frac{(k-E_T)^2}{8E_T}\right), \end{aligned}$$

using the well-known Gaussian tail bound,

$$\int_k^{\infty} e^{-(t-\mu)^2/2\sigma^2} dt = \sqrt{2\pi\sigma^2} \Pr[N(\mu, \sigma) > k] \leq \sqrt{2\pi\sigma^2} e^{-(k-\mu)^2/2\sigma^2} \quad (k \geq \mu),$$

to bound the first integral.

If $k \geq 2E_T$ then

$$\Delta \leq \exp\left(-\frac{k-E_T}{8}\right) + \int_k^{\infty} \exp\left(-\frac{t-E_T}{8}\right) dt \leq 9 \exp\left(-\frac{k-E_T}{8}\right).$$

This completes the proof. ■

We can now prove Proposition 35.

Proof [Proof of Proposition 35] Applying Lemma 24, we can find a monotone tree T shattered by \mathcal{H} such that $2\text{RL}(\mathcal{H}) - \epsilon/2 \leq E_T \leq 2\text{RL}(\mathcal{H})$. Let

$$k = E_T + \sqrt{8E_T \log \frac{60\sqrt{E_T}}{\epsilon}} + 8 \log \frac{20}{\epsilon} = E_T + O\left(\sqrt{E_T \log \frac{E_T}{\epsilon}} + \log \frac{1}{\epsilon}\right).$$

Lemma 36 implies that $E_{T \leq k} \geq E_T - \epsilon/2$, and so $E_{T \leq k} \geq 2\text{RL}(\mathcal{H}) - \epsilon$. ■

We discuss the optimality of Proposition 35 in Section D.4.

D.3. Mistake Bound for Few Rounds

Another truncation argument allows us to estimate $\text{RL}(\mathcal{H}, \mathbf{T})$ for small \mathbf{T} .

Proposition 37 *Let \mathcal{H} be a non-empty hypothesis class with finite randomized Littlestone dimension $\text{RL}(\mathcal{H})$.*

If $\mathbf{T} \leq \text{RL}(\mathcal{H})$ then $\text{RL}(\mathcal{H}, \mathbf{T}) = \mathbf{T}/2$.

If $\mathbf{T} \leq 2\text{RL}(\mathcal{H})$ then

$$\frac{\mathbf{T}}{2} - O(\sqrt{\mathbf{T} \log \mathbf{T}}) \leq \text{RL}(\mathcal{H}, \mathbf{T}) \leq \frac{\mathbf{T}}{2}.$$

Furthermore, if $\mathbf{T} \leq 2\text{RL}(\mathcal{H}) - \sqrt{8\text{RL}(\mathcal{H}) \ln \text{RL}(\mathcal{H})}$ then

$$\frac{\mathbf{T}}{2} - 1 < \text{RL}(\mathcal{H}, \mathbf{T}) \leq \frac{\mathbf{T}}{2},$$

and if $\mathbf{T} \geq 2\text{RL}(\mathcal{H}) - \sqrt{8\text{RL}(\mathcal{H}) \ln \text{RL}(\mathcal{H})}$ then

$$\text{RL}(\mathcal{H}) - O\left(\sqrt{\text{RL}(\mathcal{H}) \log \text{RL}(\mathcal{H})}\right) \leq \text{RL}(\mathcal{H}, \mathbf{T}) \leq \text{RL}(\mathcal{H}).$$

Proof A learner that always predicts $1/2$ suffers a loss of exactly $1/2$ each round, showing that $\text{RL}(\mathcal{H}, \mathbf{T}) \leq \mathbf{T}/2$ for each \mathbf{T} . In contrast, if T is a tree shattered by \mathcal{H} then Theorem 34 shows that $\text{RL}(\mathcal{H}, \mathbf{T}) \geq E_{T \leq \mathbf{T}}/2$, and we will use this to give lower bounds on $\text{RL}(\mathcal{H}, \mathbf{T})$.

Suppose first that $\mathbf{T} \leq \text{RL}(\mathcal{H})$. Proposition 31 shows that $m_T \geq E_T/2$. If E_T is close enough to $2\text{RL}(\mathcal{H})$ then $m_T \geq \text{RL}(\mathcal{H})$ (since m_T is an integer), and so $T^{\leq \mathbf{T}}$ is a complete tree of depth \mathbf{T} . This shows that $\text{RL}(\mathcal{H}, \mathbf{T}) \geq \mathbf{T}/2$.

In order to prove the remaining results, suppose that $\mathbf{T} \leq 2\text{RL}(\mathcal{H})$, and consider a tree T shattered by \mathcal{H} satisfying $E_T = 2\text{RL}(\mathcal{H}) - \delta \geq \mathbf{T}$. Proposition 28 shows that a random branch of $T^{\leq \mathbf{T}}$ has depth \mathbf{T} with probability at least $1 - \exp\left(-\frac{(E_T - \mathbf{T})^2}{4E_T}\right)$, and so

$$\text{RL}(\mathcal{H}, \mathbf{T}) \geq \left(1 - \exp\left(-\frac{(E_T - \mathbf{T})^2}{4E_T}\right)\right) \cdot \frac{\mathbf{T}}{2} \rightarrow \left(1 - \exp\left(-\frac{(2\text{RL}(\mathcal{H}) - \mathbf{T})^2}{8\text{RL}(\mathcal{H})}\right)\right) \cdot \frac{\mathbf{T}}{2},$$

where the limit is taken along a sequence of trees shattered by \mathcal{H} and satisfying $E_T \rightarrow 2\text{RL}(\mathcal{H})$.

If $\mathbf{T} \leq \mathbf{T}_0 := 2\text{RL}(\mathcal{H}) - \sqrt{8\text{RL}(\mathcal{H}) \ln \text{RL}(\mathcal{H})}$ then this gives

$$\text{RL}(\mathcal{H}, \mathbf{T}) \geq \left(1 - \frac{1}{\text{RL}(\mathcal{H})}\right) \cdot \frac{\mathbf{T}}{2} > \frac{\mathbf{T}}{2} - 1.$$

If $\mathbf{T}_0 \leq \mathbf{T} \leq 2\text{RL}(\mathcal{H})$ then

$$\text{RL}(\mathcal{H}, \mathbf{T}) \geq \text{RL}(\mathcal{H}, \mathbf{T}_0) \geq \frac{\mathbf{T}_0 - 2}{2} \geq \frac{\mathbf{T} - 2}{2} - \sqrt{8\text{RL}(\mathcal{H}) \ln \text{RL}(\mathcal{H})} \geq \frac{\mathbf{T}}{2} - O(\sqrt{\mathbf{T} \log \mathbf{T}}).$$

Finally, if we only assume that $\mathbf{T} \geq \mathbf{T}_0$ then

$$\text{RL}(\mathcal{H}, \mathbf{T}) \geq \text{RL}(\mathcal{H}, \mathbf{T}_0) \geq \frac{\mathbf{T}_0 - 2}{2} \geq \text{RL}(\mathcal{H}) - \sqrt{8\text{RL}(\mathcal{H}) \ln \text{RL}(\mathcal{H})} - 1.$$

This completes the proof. ■

D.4. Lower Bounds

Let \mathcal{H} be a hypothesis class. If there exists a (finite) tree T shattered by \mathcal{H} and satisfying $E_T/2 = \text{RL}(\mathcal{H})$, then Proposition 35 is not tight. Proposition 18 shows that such a tree always exists when \mathcal{H} is finite. Conversely, when \mathcal{H} is infinite, we can show that an additive factor proportional to $\log(1/\epsilon)$ is necessary in Proposition 35.

We start by showing that $\text{RL}(\mathcal{H}) \geq 1$ if \mathcal{H} is infinite.

Lemma 38 *Let \mathcal{H} be an hypothesis class. If $|\mathcal{H}| \geq k$ then there is a tree T shattered by \mathcal{H} such that $E_T \geq 2 - 2^{2-k}$. In particular, if \mathcal{H} is infinite then $\text{RL}(\mathcal{H}) \geq 1$.*

Proof The proof is by induction on k . If $k = 1$ then there is nothing to prove. Otherwise, $|\mathcal{H}| \geq 2$, and so there exists an instance x such that $\mathcal{H}_{x \rightarrow 0}, \mathcal{H}_{x \rightarrow 1} \neq \emptyset$. If $|\mathcal{H}_{x \rightarrow y}| = k_y$, then using the induction hypothesis, we construct a tree T shattered by \mathcal{H} such that

$$E_T \geq 1 + \frac{2 - 2^{2-k_0}}{2} + \frac{2 - 2^{2-k_1}}{2}.$$

By convexity, the right-hand side is minimized when $k_0 = 1$ and $k_1 = k - 1$, and so $E_T \geq 2 - 2^{2-k}$. ■

We can now show that when \mathcal{H} is infinite, the $O(\log(1/\epsilon))$ term in Proposition 35 is necessary.

Proposition 39 *Let \mathcal{H} be an infinite hypothesis class such that $\text{RL}(\mathcal{H}) < \infty$.*

If T is a tree shattered by \mathcal{H} such that $E_T/2 \geq \text{RL}(\mathcal{H}) - \epsilon$, then $\text{depth}(T) \geq \log(1/\epsilon)$.

Proof Construct a branch v_0, \dots, v_ℓ in T such that for each i , the set of hypotheses $\mathcal{H}(v_i)$ consistent with the path from v_0 to v_i is infinite. This is possible since if $\mathcal{H}(v_i)$ is infinite and v_i is labeled x , then at least one of $\mathcal{H}(v_i)_{x \rightarrow 0}, \mathcal{H}(v_i)_{x \rightarrow 1}$ is infinite.

Applying Lemma 38, we can extend T to another tree T' shattered by \mathcal{H} by hanging from v_ℓ a tree whose expected branch length is arbitrarily close to 2. This shows that

$$\text{RL}(\mathcal{H}) \geq E_{T'}/2 \geq E_T/2 + 2^{-\ell} \geq E_T/2 + 2^{-\text{depth}(T)},$$

and completes the proof. ■

This proposition is tight for the hypothesis class consisting of all $h: \mathbb{N} \rightarrow \{0, 1\}$ such that $|h^{-1}(1)| \leq 1$.

We now identify a family of hypothesis classes for which we can improve the lower bound from $\Omega(\log(1/\epsilon))$ to $2\text{RL}(\mathcal{H}) + \Omega(\log(1/\epsilon))$.

Definition 40 (Strongly Infinite Hypothesis Class) *An hypothesis class \mathcal{H} is strongly infinite if it is infinite and for every $(x_1, y_1), \dots, (x_n, y_n) \in \mathcal{X} \times \mathcal{Y}$, the hypothesis class $\mathcal{H}_{x_1 \rightarrow y_1, \dots, x_n \rightarrow y_n}$ is either infinite or contains at most one hypothesis.*

For example, the hypothesis class consisting of all $h: \mathbb{N} \rightarrow \{0, 1\}$ such that $|h^{-1}(1)| \leq k$ is strongly infinite for all $k \geq 1$.

For such classes, we can strengthen Proposition 39.

Proposition 41 *Let \mathcal{H} be a strongly infinite hypothesis class such that $\text{RL}(\mathcal{H}) < \infty$.*

For every $\epsilon > 0$, any tree T shattered by \mathcal{H} and satisfying $E_T/2 \geq \text{RL}(\mathcal{H}) - \epsilon$ has depth at least $2\text{RL}(\mathcal{H}) + \Omega(\log(1/\epsilon))$.

Proof Let T be a tree shattered by \mathcal{H} and satisfying $E_T/2 \geq \text{RL}(\mathcal{H}) - \epsilon$.

We can associate each vertex v in T with the example sequence $S(v) = (x_1, y_1), \dots, (x_r, y_r)$ leading to it. We define $\mathcal{H}(v) = \mathcal{H}_{x_1 \rightarrow y_1, \dots, x_r \rightarrow y_r}$.

If v is a leaf of T such that $\mathcal{H}(v)$ is infinite, then we can find an instance x_v such that $S(v), (x_v, 0)$ and $S(v), (x_v, 1)$ are both realizable by \mathcal{H} . Let T' be the extension of T obtained by labelling each such leaf v by x_v and adding two leaves. The tree T' is also shattered by \mathcal{H} , and so $\text{RL}(\mathcal{H}) \geq E_{T'}/2$. On the other hand, $\text{RL}(\mathcal{H}) \leq E_T/2 + \epsilon$.

In order to relate $E_{T'}$ to E_T , let v_0, \dots, v_L be a random branch in T . Then

$$E_{T'} = E_T + \Pr[\mathcal{H}(v_L) \text{ is infinite}].$$

Since $E_{T'}/2 \leq \text{RL}(\mathcal{H}) \leq E_T/2 + \epsilon$, this shows that

$$\frac{1}{2} \Pr[\mathcal{H}(v_L) \text{ is infinite}] \leq \epsilon. \quad (9)$$

In order to complete the proof, we relate the depth of T to the probability above.

If $i < L$ and $\mathcal{H}(v_i)$ is infinite then $\mathcal{H}(v_{i+1})$ is infinite with probability at least $1/2$. Therefore for every $\ell \in \mathbb{N}$,

$$\Pr[\mathcal{H}(v_L) \text{ is infinite}] \geq \frac{\Pr[L \geq \ell \text{ and } \mathcal{H}(v_\ell) \text{ is infinite}]}{2^{\text{depth}(T) - \ell}}.$$

If $L > \ell$ then $|\mathcal{H}(v_\ell)| \geq 2$, and so $\mathcal{H}(v_\ell)$ is infinite since \mathcal{H} is strongly infinite. Therefore

$$\Pr[\mathcal{H}(v_L) \text{ is infinite}] \geq \frac{\Pr[L > \ell]}{2^{\text{depth}(T) - \ell}}. \quad (10)$$

We can lower bound $\Pr[L > \ell]$ using Markov's inequality:

$$\Pr[L > \ell] = 1 - \Pr[\text{depth}(T) - L \geq \text{depth}(T) - \ell] \geq 1 - \frac{\text{depth}(T) - E_T}{\text{depth}(T) - \ell}.$$

Choosing $\ell = \lfloor 2E_T - \text{depth}(T) \rfloor$, this probability is at least $1/2$, and so Eq. (10) gives

$$\Pr[\mathcal{H}(v_L) \text{ is infinite}] \geq \frac{1}{2^{2\text{depth}(T) - 2E_T + 2}} \geq \frac{1}{2^{2\text{depth}(T) - 4\text{RL}(\mathcal{H}) + 4\epsilon + 2}}.$$

Substituting this in Eq. (9) and rearranging, we conclude that

$$2^{\text{depth}(T)} - 4\text{RL}(\mathcal{H}) - 4\epsilon + 3 \geq \log(1/\epsilon),$$

from which the proposition immediately follows. \blacksquare

Appendix E. Mistake Bounds in the k -Realizable Setting

So far we have considered online learning when the adversary is restricted to choose labels which are consistent with one of the hypotheses in the hypothesis class, a setting known as the *realizable* setting. This is a quite restrictive assumption, and there are many ways to relax it.

In this section we concentrate on the *k -realizable* setting, in which the answers of the adversary are consistent with one of the hypotheses in the class *up to at most k mistakes*. Our goal is to characterize the optimal mistake bounds in this setting, for both deterministic and randomized learners, generalizing Theorems 9 and 11. Our characterizations are based on *k -shattered trees*, in which each branch is consistent with one of the hypotheses in the class up to at most k mistakes.

If all instances in a sequence of examples are distinct, then the sequence is *k -realizable* by \mathcal{H} if and only if it is realizable by the *k -expansion* of \mathcal{H} , consisting of all hypotheses h' which disagree with some hypothesis $h \in \mathcal{H}$ on at most k instances. However, this need not be the case. For example, the sequence $(x, 0), (x, 1)$ is 1-realizable by the hypothesis class \mathcal{H} consisting of all constant functions.

Nevertheless, the arguments in this section are very similar to their counterparts in the realizable setting.

To complete the picture, we briefly discuss the Perceptron algorithm in this setting in Section E.7.

E.1. Weighted Hypothesis Classes

While we are interested mainly in the k -realizable setting, we consider a more general setting in which the number of allowed mistakes can depend on the hypothesis. This will be useful in the subsequent proofs.

A weighted hypothesis class \mathcal{W} is a collection of pairs (h, w) , where $h: \mathcal{X} \rightarrow \mathcal{Y}$ is an hypothesis and $w \in \mathbb{N}$ is the allowed number of mistakes (possibly zero). Furthermore, all hypotheses are distinct (that is, \mathcal{W} cannot contain two different pairs $(h, w_1), (h, w_2)$). An input sequence $(x_1, y_1), \dots, (x_t, y_t)$ is *realizable* by a weighted hypothesis class \mathcal{W} if there exists $(h, w) \in \mathcal{W}$ such that $h(x_i) \neq y_i$ for at most w many examples in the sequence. A tree is *shattered* by \mathcal{W} if each of its branches is realized by \mathcal{W} .

Given an hypothesis class \mathcal{H} , a learning rule which observes the labeled example (x, y) can restrict itself to $\mathcal{H}_{x \rightarrow y} = \{h \in \mathcal{H} : h(x) = y\}$. The corresponding operation for weighted hypothesis classes is

$$\mathcal{W}_{x \rightarrow y} = \{(h, w) : (h, w) \in \mathcal{W}, h(x) = y\} \cup \{(h, w - 1) : (h, w) \in \mathcal{W}, h(x) \neq y, w > 0\}.$$

In words, we decrease the allowed number of mistakes for each hypothesis inconsistent with the given example (x, y) , removing hypotheses which has zero mistakes left.

For every weighted hypothesis class \mathcal{W} , we define its Littlestone dimension and its randomized Littlestone dimension by

$$L(\mathcal{W}) = \sup_{T \text{ shattered}} m_T \quad \text{and} \quad \text{RL}(\mathcal{W}) = \frac{1}{2} \sup_{T \text{ shattered}} E_T,$$

where the supremum is taken over all trees shattered by \mathcal{W} . As in the realizable setting, we define $L(\emptyset) = \text{RL}(\emptyset) = -1$ for convenience.

Our main results in this section extend Theorems 9 and 11 to this more general setting.

Theorem 42 (Optimal Deterministic Mistake Bound) *Let \mathcal{W} be a weighted hypothesis class. Then,*

$$M_D^*(\mathcal{W}) = L(\mathcal{W}).$$

Theorem 43 (Optimal Randomized Mistake Bound) *Let \mathcal{W} be a weighted hypothesis class. Then,*

$$M^*(\mathcal{W}) = \text{RL}(\mathcal{W}).$$

We prove these theorems in the following subsections, making use of the following fundamental observation, which follows directly from the definitions:

Observation 44 *Let \mathcal{W} be a weighted hypothesis class. The sequence $(x_1, y_1), \dots, (x_t, y_t)$ is realizable by \mathcal{W} iff the sequence $(x_2, y_2), \dots, (x_t, y_t)$ is realizable by $\mathcal{W}_{x_1 \rightarrow y_1}$.*

Similarly, let T is a tree whose root is labeled by x , and let T_0, T_1 be the subtrees rooted at the children of the root. Then T is realizable by \mathcal{W} iff T_0 is realizable by $\mathcal{W}_{x \rightarrow 0}$ and T_1 is realizable by $\mathcal{W}_{x \rightarrow 1}$.

When the weighted hypothesis class is finite, the randomized Littlestone dimension is achieved exactly by some (potentially infinite) tree, as we show in Section E.6.

The k -realizable setting. Let \mathcal{H} be an hypothesis class, and let $k \in \mathbb{N}$. A sequence of examples $S = \{(x_i, y_i)\}_{i=1}^t$ is k -realizable by \mathcal{H} if there exists $h \in \mathcal{H}$ such that $h(x_i) \neq y_i$ for at most k indices i . We denote the corresponding mistake bounds by $M^*(\mathcal{H}, k), M_D^*(\mathcal{H}, k)$. These are defined just as in the realizable setting, the only difference being that the sequence of examples provided by the adversary need only be k -realizable by \mathcal{H} .

We say that a tree is k -shattered by \mathcal{H} if every branch is k -realizable by \mathcal{H} . The corresponding deterministic and randomized k -Littlestone dimension of a class \mathcal{H} are

$$L_k(\mathcal{H}) = \sup_{T \text{ } k\text{-shattered}} m_T \quad \text{and} \quad \text{RL}_k(\mathcal{H}) = \frac{1}{2} \sup_{T \text{ } k\text{-shattered}} E_T.$$

If we define $\mathcal{W}_{\mathcal{H},k} = \{(h, k) : h \in \mathcal{H}\}$, then a sequence of examples is k -realizable by \mathcal{H} if it is realizable by $\mathcal{W}_{\mathcal{H},k}$. In other words, the k -realizable setting is a special case of weighted hypothesis classes, where all weights are equal to k . Therefore we immediately conclude the following theorems, by applying the preceding theorems to $\mathcal{W}_{\mathcal{H},k}$:

Theorem 45 (Optimal Deterministic Mistake Bound) *Let \mathcal{H} be an hypothesis class, and let $k \in \mathbb{N}$. Then,*

$$M_D^*(\mathcal{H}, k) = L_k(\mathcal{H}).$$

Theorem 46 (Optimal Randomized Mistake Bound) *Let \mathcal{H} be an hypothesis class, and let $k \in \mathbb{N}$. Then,*

$$M^*(\mathcal{H}, k) = \text{RL}_k(\mathcal{H}).$$

Using the classic lower bounds of (Littlestone and Warmuth, 1994; Ben-David, Pál, and Shalev-Shwartz, 2009) and recent results of (Alon, Ben-Eliezer, Dagan, Moran, Naor, and Yogev, 2021), we can bound the optimal mistake bound in terms of the *realizable* Littlestone dimension:

Theorem 47 *Let \mathcal{H} be an hypothesis class with at least two hypotheses, and let $k \in \mathbb{N}$. Then,*

$$M^*(\mathcal{H}, k) = k + \Theta\left(\sqrt{k \cdot L(\mathcal{H})} + L(\mathcal{H})\right).$$

We prove this result in Section E.4. Note that since $L(\mathcal{H})$ and $\text{RL}(\mathcal{H})$ differ by at most a constant factor, the theorem still holds if we replace $L(\mathcal{H})$ by $\text{RL}(\mathcal{H})$.

Using the experts algorithm of (Koolen and van Erven, 2015), we can construct an algorithm which works in the adaptive setting, that is, without knowledge of k :

Theorem 48 *Let \mathcal{H} be an hypothesis class. There is an algorithm Squint such that for every input sequence S which is k^* -realizable by \mathcal{H} ,*

$$M(\text{Squint}; S) \leq M^*(\mathcal{H}, k^*) + O\left(\sqrt{M^*(\mathcal{H}, k) \log((k^* + 1) \log M^*(\mathcal{H}, k^*))}\right).$$

Furthermore, Squint is adaptive, that is, it has no knowledge of k^* .

We describe and analyze the algorithm in Section E.5.




Figure 9: The weighted version of SOA.

E.2. Proof of Optimal Deterministic Mistake Bound

The case $\mathcal{W} = \emptyset$ holds by definition. Therefore we assume that $\mathcal{W} \neq \emptyset$. The lower bound “ $L(\mathcal{W}) \leq M_D^*(\mathcal{W})$ ” boils down to the following lemma:

Lemma 49 *Let \mathcal{W} be a weighted hypothesis class, and let T be a finite tree which is shattered by \mathcal{W} . Then, for every deterministic learning rule Lrn there exists a realizable sequence S so that $M(\text{Lrn}; S) \geq m_T$. Furthermore, S corresponds to one of the branches in T .*

Proof We construct the sequence S by traversing T , starting at the root v_1 . At step i , we send Lrn the instance x_i labelling v_i . If the learner predicts \hat{y}_i , we set the true label to $y_i = 1 - \hat{y}_i$, and let v_{i+1} be the vertex obtained from v_i by following the leaf labeled y_i . We stop once the process reaches a leaf.

By construction, S corresponds to one of the branches of T , and the number of mistakes is $|S| \geq m_T$. Since T is shattered by \mathcal{W} , then S is realizable by \mathcal{W} . ■

By applying the lemma on every shattered tree and taking the supremum, we conclude the lower bound:

Corollary 50 (Lower bound) *For every weighted hypothesis class \mathcal{W} it holds that $M_D^*(\mathcal{W}) \geq L(\mathcal{W})$.*

We now turn to prove the upper bound “ $L(\mathcal{W}) \geq M_D^*(\mathcal{W})$ ”. This is achieved via the WeightedSOA learning rule, depicted in Figure 9.

Lemma 51 (Upper bound) *Let \mathcal{W} be a non-empty weighted hypothesis class. The WeightedSOA learner described in Figure 9 has the mistake bound*

$$M(\text{WeightedSOA}; S) \leq L(\mathcal{W})$$




Figure 10: The weighted version of RandSOA.

for every input sequence S realizable by \mathcal{W} .

Proof We will show that each time that WeightedSOA makes a mistake, the Littlestone dimension drops by at least 1. That is, if $\hat{y}_i \neq y_i$ then $L(V^{(i+1)}) < L(V^{(i)})$. Since the Littlestone dimension is always non-negative, it follows that WeightedSOA makes at most $L(\mathcal{W})$ mistakes.

Suppose that $\hat{y}_i \neq y_i$ yet $L(V^{(i+1)}) = L(V^{(i)})$. The choice of \hat{y}_i shows that $L(V_{x_i \rightarrow 0}^{(i)}) = L(V_{x_i \rightarrow 1}^{(i)}) = L(V^{(i)})$. This is, however, impossible. Indeed, take trees T_0, T_1 shattering $V_{x_i \rightarrow 0}^{(i)}, V_{x_i \rightarrow 1}^{(i)}$ with $m_{T_0} = m_{T_1} = L(V^{(i)})$. Observation 44 shows that the tree T whose root is labeled x_i and in which T_0, T_1 are the subtrees of the root's children is shattered by $V^{(i)}$. Since $m_T = L(V^{(i)}) + 1$, we reach a contradiction. ■

E.3. Proof of Optimal Randomized Mistake Bound

The proof of the optimal mistake bound in the randomized setting, Theorem 43, is very similar to the proof of its counterpart in the realizable setting, Theorem 11.

The proof of the lower bound “ $\text{RL}(\mathcal{W}) \leq M^*(\mathcal{W})$ ” is virtually identical to the proof of Lemma 12.

The proof of the upper bound “ $\text{RL}(\mathcal{W}) \geq M^*(\mathcal{W})$ ” uses WeightedRandSOA, the weighted counterpart of RandSOA, which appears in Figure 10. The proof of Lemma 16 extends, with virtually no changes, to show that $M(\text{WeightedRandSOA}; S) \leq \text{RL}(\mathcal{W})$ for every input sequence S realizable by \mathcal{W} .

E.4. Explicit Bounds in Terms of Littlestone Dimension

Here we prove Theorem 47, which bounds $M^*(\mathcal{H}, k)$ in terms of k and $L(\mathcal{H})$ (or $RL(\mathcal{H})$). In the proof, we use the notation $M^*(\mathcal{H}, k, \mathbf{T})$ for the optimal mistake bound in the k -realizable setting when the number of rounds is bounded by \mathbf{T} , and the notation $M_{\text{Agn}}^*(\mathcal{H}, \mathbf{T})$ for the optimal mistake bound when the number of rounds is bounded by \mathbf{T} , but there is no limitation on the number of mistakes made by the best hypothesis in \mathcal{H} .

We first prove the upper bound. Alon, Ben-Eliezer, Dagan, Moran, Naor, and Yogev (2021) have shown that, for any time horizon \mathbf{T} , we always have $M^*(\mathcal{H}, k, \mathbf{T}) \leq k + O\left(\sqrt{\mathbf{T} \cdot L(\mathcal{H})}\right)$. By Proposition 35, time horizon $\mathbf{T} = O(M^*(\mathcal{H}, k))$ suffices to guarantee $M^*(\mathcal{H}, k) \leq M^*(\mathcal{H}, k, \mathbf{T}) + 1$. Plugging this time horizon into the result of (Alon, Ben-Eliezer, Dagan, Moran, Naor, and Yogev, 2021) reveals that

$$M^*(\mathcal{H}, k) \leq k + O\left(\sqrt{M^*(\mathcal{H}, k) \cdot L(\mathcal{H})}\right).$$

Solving this quadratic inequality in $\sqrt{M^*(\mathcal{H}, k)}$ yields the upper bound claimed in the theorem.

We now turn to prove the lower bound. We consider two cases. If $k \leq L(\mathcal{H})$, it suffices to prove a lower bound of $k + \Omega(L(\mathcal{H}))$. The lower bound $k + L(\mathcal{H})/2$ of (Littlestone and Warmuth, 1994) establishes that. In the complementary case, suppose that $k > L(\mathcal{H})$. Therefore, we only need to prove a lower bound of $k + \Omega\left(\sqrt{k \cdot L(\mathcal{H})}\right)$. This follows from the following adaptation of the classic regret bound of (Ben-David, Pál, and Shalev-Shwartz, 2009). They showed that $M_{\text{Agn}}^*(\mathcal{H}, \mathbf{T}) \geq b + \Omega\left(\sqrt{L(\mathcal{H}) \cdot \mathbf{T}}\right)$, where b is the minimal number of mistakes made by a best hypothesis $h^* \in \mathcal{H}$. To adapt this bound to our setting, first play the game for $\mathbf{T} = k$ rounds, forcing a loss of at least $b + \Omega\left(\sqrt{k \cdot L(\mathcal{H})}\right)$ on the learner. Now, as we prove in Theorem 58,¹¹ the adversary can further force the learner a loss arbitrarily close to $k - b$, using an input sequence which is $(k - b)$ -realizable by h^* . Overall, the input sequence is k -realizable by h^* , and we get the desired lower bound $k + \Omega\left(\sqrt{k \cdot L(\mathcal{H})}\right)$.

E.5. Adapting to k

This section presents our proof of Theorem 48, showing that it is possible to adapt to the value of k without sacrificing too significantly in the expected mistake bound.

The adaptive technique we propose uses an experts algorithm of (Koolen and van Erven, 2015) named Squint, with experts defined by the optimal randomized algorithm for the k -realizable setting, for all values of $k \in \mathbb{N}$ (including $k = 0$).

The experts algorithm Squint accepts an input sequence $S = (x_1, y_1), \dots, (x_n, y_n)$ and a list of learners Lrn_k , each with an associated weight π_k . The weights π_k should form a probability distribution. With an appropriate choice of parameters, Squint has the following guarantee (Koolen and van Erven, 2015, Theorem 3):

$$M(\text{Squint}; S) \leq \min_k \left\{ M(\text{Lrn}_k; S) + O\left(\sqrt{V_k \log \frac{\log V_k}{\pi_k}} + \log \frac{1}{\pi_k}\right) \right\}, \quad (11)$$

11. We prove this result in the setting of prediction with expert advice, but it holds for general hypothesis classes (as long as the domain is non-empty).

where V_k is an uncentered variance term given by

$$V_k = \sum_{i=1}^n (|\text{Squint}(x_1, y_1, \dots, x_{i-1}, y_{i-1}, x_i) - y_i| - |\text{Lrn}_k(x_1, y_1, \dots, x_{i-1}, y_{i-1}, x_i) - y_i|)^2.$$

Since both absolute values are in the range $[0, 1]$, we have

$$\begin{aligned} V_k &\leq \sum_{i=1}^n |\text{Squint}(x_1, y_1, \dots, x_{i-1}, y_{i-1}, x_i) - y_i| + \sum_{i=1}^n |\text{Lrn}_k(x_1, y_1, \dots, x_{i-1}, y_{i-1}, x_i) - y_i| \\ &= \text{M}(\text{Squint}; S) + \text{M}(\text{Lrn}_k; S). \end{aligned}$$

For any given k , if $\text{M}(\text{Squint}; S) > \text{M}(\text{Lrn}_k; S)$, then we have $V_k \leq 2\text{M}(\text{Squint}; S)$, so that (11) implies

$$\text{M}(\text{Squint}; S) \leq \text{M}(\text{Lrn}_k; S) + O\left(\sqrt{\text{M}(\text{Squint}; S) \log \frac{\log \text{M}(\text{Squint}; S)}{\pi_k}} + \log \frac{1}{\pi_k}\right).$$

This inequality trivially holds as well in the case $\text{M}(\text{Squint}; S) \leq \text{M}(\text{Lrn}_k; S)$ due to the first term on the right hand side. Moreover, this inequality further implies

$$\text{M}(\text{Squint}; S) = O\left(\text{M}(\text{Lrn}_k; S) + \log \frac{1}{\pi_k} + 1\right).$$

To see this, note that were it not the case, we could upper bound each $\text{M}(\text{Lrn}_k; S)$ and $\log \frac{1}{\pi_k}$ on the right hand side by $\text{M}(\text{Squint}; S)/c$ for some large constant c , making the right hand side strictly less than $\text{M}(\text{Squint}; S)$: a contradiction. Plugging in this upper bound on $\text{M}(\text{Squint}; S)$ into the $\log \log \text{M}(\text{Squint}; S)$ term and simplifying with elementary inequalities reveals

$$\text{M}(\text{Squint}; S) \leq \text{M}(\text{Lrn}_k; S) + O\left(\sqrt{\text{M}(\text{Squint}; S) \log \frac{\log \text{M}(\text{Lrn}_k; S)}{\pi_k}} + \log \frac{1}{\pi_k}\right).$$

This is a quadratic inequality in $\sqrt{\text{M}(\text{Squint}; S)}$. Solving the quadratic for the range of $\text{M}(\text{Squint}; S)$ where the inequality holds, we have

$$\text{M}(\text{Squint}; S) \leq \text{M}(\text{Lrn}_k; S) + O\left(\sqrt{\text{M}(\text{Lrn}_k; S) \log \frac{\log \text{M}(\text{Lrn}_k; S)}{\pi_k}} + \log \frac{\log \text{M}(\text{Lrn}_k; S)}{\pi_k}\right).$$

Since this holds for any k , we conclude that

$$\text{M}(\text{Squint}; S) \leq \min_k \left\{ \text{M}(\text{Lrn}_k; S) + O\left(\sqrt{\text{M}(\text{Lrn}_k; S) \log \frac{\log \text{M}(\text{Lrn}_k; S)}{\pi_k}} + \log \frac{\log \text{M}(\text{Lrn}_k; S)}{\pi_k}\right) \right\}. \quad (12)$$

We instantiate Squint with algorithm `WeightedRandSOA` of Figure 10. Namely, for every k , we let Lrn_k be the instantiation of `WeightedRandSOA` with $\mathcal{W}_{\mathcal{H}, k}$. We use the weights $\pi_k = \frac{1}{(k+1)(k+2)}$.

Since $\pi_k = \frac{1}{k+1} - \frac{1}{k+2}$, they indeed constitute a probability distribution. Since WeightedRandSOA achieves the optimal mistake bound (see Section E.3), Eq. (12) shows that if S is k^* -realizable by \mathcal{H} then

$$M(\text{Squint}; S) \leq M^*(\mathcal{H}, k^*) + O\left(\sqrt{M^*(\mathcal{H}, k^*) \log((k^* + 1) \log M^*(\mathcal{H}, k^*))} + \log((k^* + 1)M^*(\mathcal{H}, k^*))\right).$$

Since $M^*(\mathcal{H}, k^*) \geq k^*/2$, the term $\log((k^* + 1)M^*(\mathcal{H}, k^*))$ can be swallowed by the preceding term.

E.6. Finite Classes

The randomized Littlestone dimension is defined as a supremum. The supremum is not always achieved even in the realizable case, as Example 19 shows. However, if the hypothesis class is finite, then Proposition 18 shows that the randomized Littlestone dimension is achieved by a finite tree.

In this section, we extend the latter result to the setting of weighted hypothesis classes, using infinite trees. The trees that we construct will furthermore be “nonredundant”, in the following sense.

Definition 52 (Nonredundant trees) *Let \mathcal{W} be a non-empty weighted hypothesis class, and let T be a non-empty tree shattered by it. The tree T is weakly nonredundant for \mathcal{W} if one of the following holds:*

1. T is a leaf.
2. The root of T is labeled by an instance x such that either $\mathcal{W}_{x \rightarrow 0} \neq \mathcal{W}$ or $\mathcal{W}_{x \rightarrow 1} \neq \mathcal{W}$.
3. \mathcal{W} is a singleton (that is, $|\mathcal{W}| = 1$).

A non-empty tree T is nonredundant for \mathcal{W} if this holds recursively. In detail, if T is a leaf, then it is always nonredundant. Otherwise, let x be the label of the root, leading to the two subtrees T_0, T_1 . The tree T is nonredundant for \mathcal{W} if it is weakly nonredundant for \mathcal{W} , the tree T_0 is nonredundant for $\mathcal{W}_{x \rightarrow 0}$, and tree T_1 is nonredundant for $\mathcal{W}_{x \rightarrow 1}$.

If the root of T is labeled by an instance x such that $\mathcal{W}_{x \rightarrow 0} = \mathcal{W}$, then this corresponds to an adversarial strategy in which by predicting 0, the learner can guarantee that either her prediction is correct, or all experts are wrong. Intuitively, there is no reason for the adversary to ask such a question. We prove this formally below.

Proposition 53 *Let \mathcal{W} be a finite weighted hypothesis class. There exists a (possibly infinite) tree T_∞ shattered by \mathcal{W} such that*

$$\text{RL}(\mathcal{W}) = \frac{1}{2} E_{T_\infty}.$$

Moreover, T_∞ is monotone and nonredundant for \mathcal{W} .

Proof We start by showing that if we are able to construct a (possibly infinite) tree T_∞ shattered by \mathcal{W} such that $\text{RL}(\mathcal{W}) = E_{T_\infty}/2$, then it is automatically monotone.

If T_∞ is a leaf then it is monotone. Otherwise, suppose that the root is labeled by $x \in \mathcal{X}$, and let the two subtrees of the root be $T_{\infty,0}, T_{\infty,1}$. The subtree $T_{\infty,b}$ must be shattered by $\mathcal{W}_{x \rightarrow b}$ and satisfy $\text{RL}(\mathcal{W}_{x \rightarrow b}) = E_{T_{\infty,b}}/2$. Clearly $\text{RL}(\mathcal{W}_{x \rightarrow b}) \leq \text{RL}(\mathcal{W})$, since any tree shattered by $\mathcal{W}_{x \rightarrow b}$ is also shattered by \mathcal{W} . Therefore $E_{T_{\infty,b}} \leq E_{T_\infty}$.

The proof of the rest of the proposition is by induction on the total weight of hypotheses in \mathcal{W} . If $\text{RL}(\mathcal{W}) = 0$ then there is nothing to prove. Otherwise, considering all possible roots and using the formula $\text{RL}(\mathcal{W}) = \sup_T E_T/2$, where the supremum is over all trees shattered by \mathcal{W} , we see that

$$\text{RL}(\mathcal{W}) = \frac{1}{2} + \sup_{x \in \mathcal{X}} \frac{\text{RL}(\mathcal{W}_{x \rightarrow 0}) + \text{RL}(\mathcal{W}_{x \rightarrow 1})}{2}.$$

Since \mathcal{W} is finite, there are only finitely many possible pairs $(\mathcal{W}_{x \rightarrow 0}, \mathcal{W}_{x \rightarrow 1})$. This shows that the supremum is achieved by some instance x , which satisfies

$$\text{RL}(\mathcal{W}) = \frac{1}{2} + \frac{\text{RL}(\mathcal{W}_{x \rightarrow 0}) + \text{RL}(\mathcal{W}_{x \rightarrow 1})}{2}.$$

If $\mathcal{W}_{x \rightarrow 0}, \mathcal{W}_{x \rightarrow 1} \neq \mathcal{W}$ then we can apply the induction hypothesis to construct (possibly infinite) nonredundant trees $T_{\infty,0}, T_{\infty,1}$ shattered by $\mathcal{W}_{x \rightarrow 0}, \mathcal{W}_{x \rightarrow 1}$ (respectively) such that $\text{RL}(\mathcal{W}_{x \rightarrow 0}) = E_{T_{\infty,0}}/2$ and $\text{RL}(\mathcal{W}_{x \rightarrow 1}) = E_{T_{\infty,1}}/2$. The tree T_∞ comprising a root labeled x leading to the subtrees $T_{\infty,0}, T_{\infty,1}$ then satisfies all the requirements of the proposition.

Suppose next that $\mathcal{W}_{x \rightarrow 0} = \mathcal{W}_x$. Calculation shows that

$$\text{RL}(\mathcal{W}) = 1 + \text{RL}(\mathcal{W}_{x \rightarrow 1}).$$

We can apply the induction hypothesis to construct a (possibly infinite) nonredundant tree S_∞ shattered by $\mathcal{W}_{x \rightarrow 1}$ such that $E_{S_\infty}/2 = \text{RL}(\mathcal{W}_{x \rightarrow 1})$. We will show that we can attach to each leaf v of S_∞ a tree T_v satisfying $E_{T_v} = 2$ such that the resulting tree T_∞ is nonredundant and shattered by \mathcal{W} . Since $E_{T_\infty}/2 = 1 + E_{S_\infty}/2 = 1 + \text{RL}(\mathcal{W}_{x \rightarrow 1}) = \text{RL}(\mathcal{W})$, this will complete the proof.

Let v be a leaf of S_∞ , let $(x_1, y_1), \dots, (x_\ell, y_\ell)$ be the path leading to it, and let $\mathcal{W}_v = \mathcal{W}_{x_1 \rightarrow y_1, \dots, x_\ell \rightarrow y_\ell}$. Since $\mathcal{W}_v = \{(h, w + 1) : (h, w) \in \mathcal{W}_{x \rightarrow 1}\}$ and $\mathcal{W}_{x \rightarrow 1}$ is non-empty by construction, we see that \mathcal{W}_v is also non-empty.

Therefore, there exists $(h, w) \in \mathcal{W}_v$ so that $w \geq 1$. Let x be an arbitrary instance, and suppose for concreteness that $h(x) = 0$. We construct a tree T_v which is an infinite left-leaning path (as in Figure 2) in which all vertices are labeled x . The length of a random branch has distribution $\text{Geom}(1/2)$, and so $E_{T_v} = 2$. \blacksquare

Proposition 53 doesn't necessarily hold if we restrict ourselves to finite trees. To see this, consider the weighted hypothesis class $\mathcal{W} = \{(h_0, 1)\}$ over the domain \mathbb{N} , in which $h_0(n) = 0$ for all $n \in \mathbb{N}$. All canonical trees shattered by \mathcal{W} are truncations of the infinite path depicted in Figure 2. The infinite path has expected branch length 2, yet its truncation to depth k has expected branch length $2 - 2^{1-k}$.

E.7. The Perceptron

We close this section by considering the classical Perceptron algorithm (Rosenblatt, 1958) in the k -realizable setting, showing that its finite mistake-bound guarantee is retained in the k -realizable setting, namely when there exists a linear separator which correctly classifies (with margin) all but k of the examples in the input sequence.

Let us first quickly recall the Perceptron algorithm: its input is a sequence

$$S = (x_1, y_1), \dots, (x_t, y_t),$$

where $x_i \in \mathbb{R}^n$ is the instance and $y_i \in \{\pm 1\}$ is the label. The Perceptron maintains a linear predictor $w_i \in \mathbb{R}^n$, initialized to $w_1 = 0$. Then, at each step i , the Perceptron predicts $\hat{y}_i = \text{sign}(\langle w_i, x_i \rangle)$. In case of a mistake, i.e. $\hat{y}_i \neq y_i$, the Perceptron updates its linear predictor by setting $w_{i+1} = w_i + y_i \cdot x_i$. Notice that the Perceptron is mistake-driven, that is, it changes its predictor only when it makes a mistake.

Proposition 54 (Perceptron: k -Realizable Mistake Bound) *Assume an input sequence $S = (x_1, y_1), \dots, (x_t, y_t)$ which is k -realizable in the sense that there exists $w \in \mathbb{R}^n$ such that $y_i \langle w, x_i \rangle \geq 1$ for at least $t - k$ indices i . Let*

$$B := \min\{\|w\| : y_i \langle w, x_i \rangle \geq 1 \text{ for at least } t - k \text{ indices } i\} \text{ and } R := \max_i \|x_i\|.$$

Then, the number of mistakes the Perceptron makes on S is at most $B^2 R^2 + 2k(BR + 1)$.

Proof The proof is a simple adaptation of the standard analysis. Let M denote the number of mistakes, and let $w^* = \arg \min\{\|w\| : y_i \langle w, x_i \rangle \geq 1 \text{ for at least } t - k \text{ indices } i\}$, so that $\|w^*\| = B$. Notice that whenever the Perceptron makes a mistake, it sets w_{i+1} by adding $y_i x_i$ to w_i , where $\langle y_i x_i, w_i \rangle = y_i \langle x_i, w_i \rangle \leq 0$. Thus, the added vector $y_i x_i$ is negatively correlated with w_i , and hence

$$\|w_{i+1}\|^2 \leq \|w_i\|^2 + \|y_i x_i\|^2 \leq \|w_i\|^2 + R^2.$$

Consequently, the final predictor w_t satisfies

$$\|w_t\| \leq \sqrt{M} R. \tag{13}$$

We proceed by lower-bounding $\langle w_t, w^* \rangle$: consider a step u at which the predictor w_i is being updated (i.e. $\hat{y}_i \neq y_i$). If $y_i \langle w^*, x_i \rangle \geq 1$ then the standard argument holds:

$$\langle w_{i+1}, w^* \rangle - \langle w_i, w^* \rangle = \langle y_i x_i, w^* \rangle = y_i \langle x_i, w^* \rangle \geq 1.$$

Otherwise, we use the trivial bound

$$\langle w_{i+1}, w^* \rangle - \langle w_i, w^* \rangle = y_i \langle x_i, w^* \rangle \geq -\|x_i\| \|w^*\| \geq -BR.$$

Crucially, notice that by k -realizability, the second case (in which $y_i \langle w^*, x_i \rangle < 1$) happens for at most k steps. Summing up over all the M steps at which there was an update, we get:

$$\langle w_t, w^* \rangle \geq (M - k) \cdot 1 - k \cdot BR. \tag{14}$$

Combining Equations (13) and (14), we get

$$\sqrt{M} R \geq \|w_t\| \geq \frac{1}{\|w^*\|} \langle w_t, w^* \rangle \geq \frac{M - k - kBR}{B}.$$

The latter inequality implies that M satisfies $\sqrt{M} B R \geq M - k(BR + 1)$. Squaring, we see that $M B^2 R^2 \geq M^2 - 2k(BR + 1)M$, and so $M \leq B^2 R^2 + 2k(BR + 1)$, as required. \blacksquare

Appendix F. Prediction using Expert Advice

In this section, we consider the problem of *prediction using expert advice*, which was raised in (Vovk, 1990; Littlestone and Warmuth, 1994). Specifically, we consider the k -realizable setting, which was suggested in (Cesa-Bianchi, Freund, Helmbold, and Warmuth, 1996; Cesa-Bianchi, Freund, Haussler, Helmbold, Schapire, and Warmuth, 1997) and further studied in (Abernethy, Langford, and Warmuth, 2006; Mukherjee and Schapire, 2010; Brânzei and Peres, 2019).

The problem concerns a repeated game which has the same flavor as the online learning game of Section A. The game is between a learner and an adversary. Additionally, there are n experts. Each round i in the game proceeds as follows:

- (i) The experts present predictions $\hat{y}_i^{(1)}, \dots, \hat{y}_i^{(n)} \in \{0, 1\}$.
- (ii) The learner predicts a value $p_i \in [0, 1]$.
- (iii) The adversary reveals the true answer $y_i \in \{0, 1\}$, and the learner suffers the loss $|y_i - p_i|$.

The adversary must choose the answers so that at least one of the experts makes at most k mistakes. That is, there must exist an expert j such that $y_i \neq \hat{y}_i^{(j)}$ for at most k many indices i . We call such an adversary k -consistent.

The goal is to determine the optimal loss of the learner as a function of n and k . We denote the optimal loss of the learner by $M^*(n, k)$, and the optimal loss when the learner is constrained to output predictions in $\{0, 1\}$ by $M_D^*(n, k)$.

The game underlying prediction using expert advice is quite similar to the online learning game. In fact, we can relate the two.

Let $\mathcal{X}_n = \{0, 1\}^n$, and consider the hypothesis class \mathcal{U}_n on the domain \mathcal{X}_n consisting of the projection functions $h_i(x_1, \dots, x_n) = x_i$. We can simulate the game of prediction using expert advice by the online learning game as follows: whenever the experts predict x_1, \dots, x_n , the adversary sends the instance (x_1, \dots, x_n) . The adversary in the original game is k -consistent if and only if the sequence (x_i, y_i) is k -realizable by \mathcal{U}_n .

This simulation goes both ways, and so the two games are actually equivalent. The upshot is that we can express $M^*(n, k)$ and $M_D^*(n, k)$ in terms of quantities we have already considered:

$$M^*(n, k) = M^*(\mathcal{U}_n, k) = \text{RL}_k(\mathcal{U}_n) \text{ and } M_D^*(n, k) = M^*(\mathcal{U}_n, k) = \text{L}_k(\mathcal{U}_n).$$

The equivalence above shows that \mathcal{U}_n is the “hardest” hypothesis class of size n , in the sense that it maximizes both $M^*(\mathcal{H}, k)$ and $M_D^*(\mathcal{H}, k)$ over all hypothesis classes \mathcal{H} of size n . Indeed, $M^*(\mathcal{H}, k)$ and $M_D^*(\mathcal{H}, k)$ are equal to the optimal loss in the game of prediction using expert advice when the answers of the experts must belong to $\{(h_1(x), \dots, h_n(x)) : x \in \mathcal{X}\}$, where $\mathcal{H} = \{h_1, \dots, h_n\}$ has domain \mathcal{X} .

Bounded horizon. Prediction using expert advice is often considered when the number of rounds is bounded. Let $M^*(n, k, \mathbf{T})$ be the optimal loss of the learner when the number of rounds is \mathbf{T} .

Clearly $M^*(n, k, \mathbf{T}) \leq M^*(n, k)$. In view of Theorem 34, Proposition 35 shows that $M^*(n, k, \mathbf{T}) \geq M^*(n, k) - \epsilon$ already for $\mathbf{T} = 2M^*(n, k) + O(\sqrt{M^*(n, k)} \log(M^*(n, k)/\epsilon))$. In contrast, since a learner can always guarantee a loss of at most $1/2$ per round by predicting $1/2$, we have $M^*(n, k, \mathbf{T}) \leq \mathbf{T}/2$, and so $M^*(n, k, \mathbf{T}) \geq M^*(n, k) - \epsilon$ requires $\mathbf{T} \geq 2M^*(n, k) - 2\epsilon$.

(The deterministic case is not interesting, since trivially $M_D^*(n, k, \mathbf{T}) = \min\{\mathbf{T}, M_D^*(n, k)\}$.)

F.1. Optimal Mistake Bounds

For every $n \geq 1$ and $k \geq 0$, let

$$D(n, k) = \max \left\{ d : d \leq \log n + \log \binom{d}{\leq k} \right\}.$$

The value of $D(n, k)$ plays a central role in the problem of prediction using expert advice: (Cesa-Bianchi, Freund, Helmbold, and Warmuth, 1996) showed that $M_D^*(n, k) \leq D(n, k)$ using the *Binomial Weights* learning rule, and complemented this with an asymptotically matching lower bound $M_D^*(n, k) \geq D(n, k) - o(D(n, k))$. (More details in Appendix H.1.) The lower bound is proved by constructing a k -covering code of size n that simulates the experts. When k is fixed and n is large enough, it can be further improved to $M_D^*(n, k) \geq D(n, k) - 1$, as shown in (Cesa-Bianchi, Freund, Helmbold, and Warmuth, 1996). (More details in Appendix H.3.) We describe asymptotic approximations to $D(n, k)$ in Section F.5.

Cesa-Bianchi, Freund, Helmbold, and Warmuth (1996) leave open the problem of determining $M^*(n, k)$. An extension of Proposition 30 shows that $M^*(n, k) \leq M_D^*(n, k) \leq 2M^*(n, k)$. Cesa-Bianchi, Freund, Haussler, Helmbold, Schapire, and Warmuth (1997) showed that $M^*(n, k) \leq M_D^*(n, k)/2 + o(M_D^*(n, k))$ whenever $k = o(\log n)$ or $k = \omega(\log n)$.¹² Abernethy, Langford, and Warmuth (2006) showed that for large enough n (as a function of k), $M^*(n, k) \leq M_D^*(n, k)/2 + O(1)$. Brânzei and Peres (2019) showed that for $k = o(\log n)$, $M^*(n, k) \leq (1 + o(1))M_D^*(n, k)/2$ even in the multiclass setting where the experts' predictions are chosen from some finite set $\{1, \dots, d\}$. In this section, we remove any assumptions on n, k , proving the following theorem:

Theorem 55 *Let $n \geq 2$ and $k \geq 0$. Then*

$$M^*(n, k) \leq D(n, k)/2 + O(\sqrt{D(n, k)}) = M_D^*(n, k)/2 + o(M_D^*(n, k)).$$

(The latter equation follows directly from the asymptotic estimate $M_D^*(n, k) = D(n, k) - o(D(n, k))$ due to (Cesa-Bianchi, Freund, Helmbold, and Warmuth, 1996).)

The error term is tight for $n = 2$:

Theorem 56 *Let $k \geq 0$. Then*

$$M^*(2, k) = D(2, k)/2 + \Omega(\sqrt{D(2, k)}).$$

We are able to improve the upper bound for small k values:

Theorem 57 *Let $n \geq 2$, and suppose that $k \leq c \log n$ for some $c < 1/2$. Then there exists a constant C , depending only on c , such that*

$$M^*(n, k) \leq D(n, k)/2 + C \log D(n, k).$$

12. More precisely, they showed that $M^*(n, k) \leq k + \frac{\log n}{2} + \sqrt{k \ln n}$. Together with the bound $M_D^*(n, k) \geq 2k + \lfloor \log n \rfloor$ of (Littlestone and Warmuth, 1994), this implies that $M^*(n, k) \leq M_D^*(n, k)/2 + o(M_D^*(n, k))$ whenever $k = o(\log n)$ or $k = \omega(\log n)$.

All of our bounds are attained using the randomized k -Littlestone dimension of \mathcal{U}_n . Note that as a special case of Theorem 47, one can also derive the bounds $M^*(n, k) = k + \Theta(\sqrt{k \log n} + \log n)$, using $L(\mathcal{U}_n) = \lfloor \log n \rfloor$. The upper bound was proved by (Cesa-Bianchi, Freund, Haussler, Helmbold, Schapire, and Warmuth, 1997). We prove the upper bounds in Section F.2, and the lower bound in Section F.3. We determine $M^*(2, k)$ exactly in Section F.4. We close the section by proving that even in the case $k = 0$ the optimal learning rule is necessarily improper in Section F.6.

All results we stated so far concern $n \geq 2$. The case $n = 1$ is different, and much simpler:

Theorem 58 *Let $k \geq 0$. Then*

$$M^*(1, k) = M_D^*(1, k) = D(1, k) = k.$$

Proof According to the definition, $D(1, k)$ is the maximum d such that $2^d \leq \binom{d}{\leq k}$. Since $\binom{d}{\leq d} = 2^d$ whereas $\binom{d+1}{\leq d} < 2^{d+1}$, we see that $D(1, k) = k$.

The complete tree of depth k , labeled arbitrarily, is k -shattered by \mathcal{U}_1 . In contrast, a tree of depth $k + 1$ cannot be k -shattered by \mathcal{U}_1 , since there exists a branch on which the unique hypothesis makes $k + 1$ mistakes. Therefore $M_D^*(1, k) = k$.

For the randomized case, according to Proposition 53 there is an infinite tree T_k such that $M^*(1, k) = \text{RL}_k(\mathcal{U}_1) = E_{T_k}/2$. Denote the unique hypothesis in \mathcal{U}_1 by h . By possibly switching the order of children, we can assume that all vertices in T_k are labeled by an instance x such that $h(x) = 0$. We can then identify vertices of T_k with binary strings.

Since T_k is optimal, it contains all strings which contain at most k many 1s. A string is a leaf if it contains exactly k many 1s and it ends with 1. The length of a random branch has the distribution of a sum of k many $\text{Geom}(1/2)$ random variables, and so $M^*(1, k) = E_{T_k}/2 = k$. ■

In contrast, (Littlestone and Warmuth, 1994) shows that $M_D^*(n, k) \geq 2k + \lfloor \log n \rfloor$ for $n \geq 2$, highlighting the difference between $n = 1$ and $n > 1$. This immediately implies the following corollary, which will be useful in the sequel:

Corollary 59 *Let $n \geq 2$ and $k \geq 0$. Then $D(n, k) \geq 2k + 1$.*

Proof Clearly $D(n, k) \geq D(2, k)$. Theorem 61 shows that $D(2, k) \geq M_D^*(2, k)$, which is at least $2k + 1$ by the result of (Littlestone and Warmuth, 1994). ■

F.2. Proofs of the Upper Bounds on $M^*(n, k)$

We start by proving a probabilistic version of the *sphere packing bound* for covering codes (Cohen, Honkala, Litsyn, and Lobstein, 1997).

Lemma 60 *Let \mathcal{H} be a finite hypothesis class of size $n \geq 1$. Let $t \geq k \geq 0$, and let T be a tree whose minimum depth is at least t .*

Let $S = (x_1, y_1), \dots, (x_t, y_t)$ be the random prefix of length t , consisting of the first t steps in a random branch of T . The probability that S is k -realizable by \mathcal{H} is at most

$$n \binom{t}{\leq k} / 2^t.$$

Proof For each hypothesis $h \in \mathcal{H}$ and set of indices $I \subseteq [t]$, the probability that $y_i \neq h(x_i)$ for all indices in I and $y_i = h(x_i)$ for all indices outside of I is 2^{-t} .

The sequence S is k -realizable by \mathcal{H} if the event above happens for some $h \in \mathcal{H}$ and some I of size at most k . Applying the union bound, we get that the probability is at most $n \binom{t}{\leq k} / 2^t$. ■

As a warm-up, we use this lemma together with the k -Littlestone dimension to reprove the upper bound $M_D^*(n, k) \leq D(n, k)$, first proved in (Cesa-Bianchi, Freund, Helmbold, and Warmuth, 1996).

Theorem 61 *Let $n \geq 1$ and $k \geq 0$. Then $M_D^*(n, k) \leq D(n, k)$.*

Proof Since $M_D^*(n, k) = L_k(\mathcal{U}_n)$, it suffices to bound $L_k(\mathcal{U}_n)$.

Let T be a tree satisfying $m_T = L_k(\mathcal{U}_n)$ which is k -shattered by \mathcal{U}_n . A random prefix of length $L_k(\mathcal{U}_n)$ is k -realizable by \mathcal{U}_n , and so $2^{L_k(\mathcal{U}_n)} \leq n \binom{L_k(\mathcal{U}_n)}{\leq k}$ by Lemma 60. Taking the logarithm, we deduce that $L_k(\mathcal{U}_n) \leq D(n, k)$ by the definition of $D(n, k)$. ■

We now prove Theorem 55 and Theorem 57. The main tools are concentration of the random branch length in quasi-balanced trees (Lemma 28), and the following lemma.

Lemma 62 *Let \mathcal{H} be a finite hypothesis class of size $n \geq 1$. Let $D = D(n, k)$, and let T be a tree of minimum depth at least $(1 + \epsilon)D$, where $0 < \epsilon < 1/3$. The probability that a random prefix of length $(1 + \epsilon)D$ is k -realizable by \mathcal{H} is at most*

$$2^{1 - \epsilon^2 D / 9}.$$

Furthermore, if $k \leq cD$ for some constant $c < 1/2$ then the probability is at most

$$2^{1 - c' \epsilon D},$$

where $c' > 0$ is a constant depending only on c .

The proof of this lemma will require some elementary estimates on binomial coefficients, summarized in the following technical lemma.

Lemma 63 *Let $D \geq k \geq 1$ and $\epsilon > 0$. Then*

$$\binom{(1 + \epsilon)D}{\leq k} \leq 2^{\epsilon D \cdot \log(D / (D - k))} \cdot \binom{D}{\leq k}.$$

If furthermore $k \leq D/2$ and $\epsilon \leq 1/3$ then

$$\binom{(1 + \epsilon)D}{\leq k} \leq 2^{\epsilon D - \epsilon^2 k / 3} \cdot \binom{D}{\leq k}.$$

We prove this lemma in Subsection F.2.1.

Proof [Proof of Lemma 62] We start by observing that

$$n \binom{D}{\leq k} / 2^D \leq 2, \tag{15}$$

Indeed, the maximality of D shows that

$$1 > n \binom{D+1}{\leq k} / 2^{D+1} \geq \frac{1}{2} n \binom{D}{\leq k} / 2^D,$$

from which Eq. (15) immediately follows.

Denote by p the probability we wish to bound. Lemma 60 shows that

$$p \leq n \binom{(1+\epsilon)D}{\leq k} / 2^{(1+\epsilon)D} = \frac{\binom{(1+\epsilon)D}{\leq k}}{\binom{D}{\leq k}} \cdot 2^{-\epsilon D} \cdot n \binom{D}{\leq k} / 2^D \leq 2^{1-\epsilon D} \cdot \frac{\binom{(1+\epsilon)D}{\leq k}}{\binom{D}{\leq k}},$$

using Eq. (15). It remains to estimate the ratio using Lemma 63.

We start by proving the “furthermore” part. By assumption, we have $k \leq cD$. Applying Lemma 63, we deduce that

$$p \leq 2^{1-(1-\log(D/(D-k)))\epsilon D}.$$

Since

$$c' = 1 - \log \frac{D}{D-k} = 1 - \log \frac{1}{1-k/D} \geq 1 - \log \frac{1}{1-c} > 0,$$

this completes the proof of the “furthermore” part.

In order to prove the main part of the lemma, we distinguish between two cases. If $k \leq D/3$ then the “furthermore” bound shows that

$$p \leq 2^{1-c'\epsilon D},$$

where $c' = \log(4/3)$. Since $\epsilon \leq 1/3$, we have $c'\epsilon \geq \epsilon^2/9$, completing the proof in this case.

Otherwise, $k \geq D/3$. In this case, noting that $k \leq D/2$ by Corollary 59, we apply the “furthermore” part of Lemma 63 to obtain

$$p \leq 2^{1-\epsilon^2 k/3} \leq 2^{1-\epsilon^2 D/9}.$$

This completes the proof. ■

We can now prove the upper bounds on $M^*(n, k)$. The idea is simple. Let T be a tree which is k -shattered by \mathcal{U}_n . Using Proposition 53, we can assume that T is quasi-balanced, and so the length of a random branch is concentrated around E_T .

This implies that T realizes almost all sequences of size $(1-\epsilon)E_T$. These sequences are k -realized by \mathcal{U}_n , and we obtain an upper bound on E_T via Lemma 62.

Proof [Proof of Theorem 55] Since $M(n, k) = \text{RL}_k(\mathcal{U}_n)$, we bound the latter. Proposition 53 shows that there is an infinite tree T which is k -shattered by \mathcal{U}_n and satisfies $E_T/2 = \text{RL}_k(\mathcal{U}_n)$. Furthermore, T is monotone, and so Proposition 28 applies to it (while the proposition is formulated for finite quasi-balanced trees, the proof actually directly uses monotonicity, and is valid for infinite trees).

In order to bound E_T , we will show that for small enough $\epsilon > 0$, the assumption $(1+\epsilon)D \leq (1-\epsilon)E_T$ leads to a contradiction.

Extend T arbitrarily to a tree T' of minimum depth $(1+\epsilon)D$, and let S be a random prefix of T' of length $(1+\epsilon)D$. If S lies completely within T then it is k -realizable by \mathcal{U}_n , and so

$$\Pr[S \text{ lies within } T] \leq \Pr[S \text{ is } k\text{-realizable by } \mathcal{U}_n].$$

The probability that S lies within T is precisely the probability that a random branch of T has length at least $(1 + \epsilon)D$. Since we assume that $(1 + \epsilon)D \leq (1 - \epsilon)E_T$, this probability is at least $1 - e^{-\epsilon^2 E_T/4}$ by Proposition 28, and so at least $1 - e^{-\epsilon^2 D/4}$.

In contrast, the probability that S is k -realizable by \mathcal{U}_n is at most $2^{1-\epsilon^2 D/9}$ by Lemma 62. Therefore

$$1 \leq e^{-\epsilon^2 D/4} + 2^{1-\epsilon^2 D/9}.$$

Let $\epsilon = C/\sqrt{D}$. As $C \rightarrow \infty$, the right-hand side tends to 0, and in particular, we obtain a contradiction for some constant $C > 0$.

It follows that $(1 + \epsilon)D > (1 - \epsilon)E_T$ for $\epsilon = C/\sqrt{D}$, and so

$$E_T < \frac{1 + \epsilon}{1 - \epsilon} D = (1 + O(1/\sqrt{D}))D = D + O(\sqrt{D}),$$

which completes the proof. \blacksquare

The proof of Theorem 57 is similar, and uses the ‘‘furthermore’’ clause of Lemma 62.

Proof [Proof of Theorem 57] We closely follow the proof of Theorem 55, and we only indicate the part which is different.

We start by assuming that $(1 + \epsilon)D \leq (1 - \epsilon)E_T$ for some $\epsilon > 0$. The assumption $k \leq c \log n$ implies $k \leq cD$ since $D \geq \log n$ by definition of D . Therefore we can use the ‘‘furthermore’’ clause of Lemma 62, and so for some constant $c' > 0$ depending on c ,

$$1 \leq e^{-\epsilon^2 D/4} + 2e^{-c' \epsilon D}.$$

Let $\epsilon = C \ln D/D$, where $C = 2/c'$. Since $\epsilon^2 D/4 = \Theta(\ln^2 D/D)$, we can find C' such that if $D \geq C'$ then $\epsilon^2 D/4 \leq 1$. Since $e^{-x} \leq 1 - x + x^2/2 \leq 1 - x/2$ for $0 \leq x \leq 1$, this shows that

$$1 \leq 1 - \frac{\epsilon^2 D}{8} + \frac{2}{D^2} = 1 - \frac{C^2 \ln^2 D}{8D} + \frac{2}{D^2},$$

which fails for $D \geq C''$, where $C'' \geq C'$ depends only on c .

We conclude that if $D \geq C''$ then

$$E_T < \frac{1 + \epsilon}{1 - \epsilon} D = (1 + O(\log D/D))D = D + O(\log D).$$

If $D < C''$, then this follows from the bound $E_T \leq 2M^*(n, k) \leq 2M_D^*(n, k) \leq 2D$, where we used an appropriate extension of Proposition 30 together with Theorem 61. \blacksquare

F.2.1. PROOF OF TECHNICAL ESTIMATE

In this section we complete the proofs of Theorem 55 and Theorem 57 by proving Lemma 63.

We start with estimates on the ratio of individual binomial coefficients.

Lemma 64 *Let $D \geq \ell \geq 1$ and $\epsilon > 0$. Then*

$$\binom{(1 + \epsilon)D}{\ell} \leq 2^{\epsilon D \cdot \log(D/(D-\ell))} \cdot \binom{D}{\ell}.$$

If furthermore $\ell \leq D/2$ and $\epsilon \leq 1/3$ then

$$\binom{(1 + \epsilon)D}{\ell} \leq 2^{\epsilon D \cdot \log(D/(D-\ell)) - \epsilon^2 \ell/3} \cdot \binom{D}{\ell}.$$

Proof We can calculate the ratio between the binomials explicitly:

$$R_\ell := \binom{(1+\epsilon)D}{\ell} / \binom{D}{\ell} = \prod_{r=0}^{\ell-1} \frac{(1+\epsilon)D-r}{D-r} = \prod_{r=0}^{\ell-1} \left(1 + \frac{\epsilon D}{D-r}\right).$$

Applying the well-known estimate $\ln(1+x) \leq x$, we obtain

$$\ln R_\ell \leq \sum_{r=0}^{\ell-1} \frac{\epsilon D}{D-r} \leq \epsilon D \cdot \int_{D-\ell}^D \frac{dx}{x} = \epsilon D \cdot \ln \frac{D}{D-\ell},$$

and so

$$R_\ell \leq 2^{\epsilon D \cdot \log(D/(D-\ell))}.$$

Now suppose that $\ell \leq D/2$ and $\epsilon \leq 1/3$. For $r \in \{0, \dots, \ell-1\}$ we have

$$\frac{\epsilon D}{D-r} \leq \frac{\epsilon D}{D-\ell} = \frac{\epsilon}{1-\ell/D} \leq 2\epsilon \leq 2/3.$$

Since $1+x \leq e^{x-x^2/3}$ for $x \leq 0.787$, we can improve the estimate on R_ℓ :

$$\ln R_\ell \leq \epsilon D \cdot \ln \frac{D}{D-\ell} - \frac{1}{3} \sum_{r=0}^{\ell-1} \frac{\epsilon^2 D^2}{(D-r)^2} \leq \epsilon D \cdot \ln \frac{D}{D-\ell} - \frac{1}{3} \epsilon^2 \ell,$$

and complete the proof. ■

We can now prove Lemma 63.

Proof [Proof of Lemma 63] The ratio between $\binom{(1+\epsilon)D}{\leq k}$ and $\binom{D}{\leq k}$ is clearly at most $\max(R_0, \dots, R_k)$, where R_ℓ is the ratio between the binomials in Lemma 64.

If we only assume that $D \geq \ell \geq 1$ and $\epsilon > 0$, then Lemma 64 states that

$$\log R_\ell \leq \epsilon D \cdot \log \frac{D}{D-\ell},$$

which is clearly monotone increasing in ℓ . Therefore

$$\log \max(R_0, \dots, R_k) \leq \epsilon D \cdot \log \frac{D}{D-k}.$$

If we furthermore assume that $k \leq D/2$ and $\epsilon \leq 1/3$, then Lemma 64 states that

$$\log R_\ell \leq \epsilon D \cdot \log \frac{D}{D-\ell} - \frac{1}{3} \epsilon^2 \ell.$$

The derivative of the upper bound with respect to ℓ is

$$\frac{\epsilon D}{D-\ell} - \frac{1}{3} \epsilon^2 \geq \epsilon - \frac{1}{3} \epsilon^2 > 0,$$

since $\epsilon \leq 1/3$. Therefore the upper bound is maximized at $\ell = k$, and we conclude that

$$\log \max(R_0, \dots, R_k) \leq \epsilon D \cdot \log \frac{D}{D-k} - \frac{1}{3} \epsilon^2 k.$$

Since $k \leq D/2$, we can further estimate

$$\log \frac{D}{D-k} = \log \frac{1}{1-k/D} \leq \log 2 = 1.$$

This completes the proof. ■

F.3. Lower bounding $M^*(2, k)$

We prove Theorem 56 by applying the lower bound of Theorem 47. In Section F.4, we show how our techniques can be used to determine the exact value of $M^*(2, k)$.

Proof [Proof of Theorem 56] Since $L(\mathcal{U}_2) = 1$, Theorem 47 implies that

$$M^*(2, k) = \text{RL}_k(\mathcal{U}_2) = k + \Omega(k).$$

On the other hand, it is easy to see that $D(2, k) = 2k + 1$. Indeed, if $d \geq 2k + 1$ then

$$\log 2 + \log \binom{d}{\leq k} \leq \log 2 + \log 2^{d-1} = d,$$

with equality if and only if $d = 2k + 1$. Therefore $D(2, k) = 2k + 1$. ■

F.4. Determining $M^*(2, k)$

We are able to determine $M^*(2, k)$ and $M_D^*(2, k)$ *exactly*.

Theorem 65 For all $k \geq 0$,

$$M^*(2, k) = k + \frac{(k + 1/2) \binom{2k}{k}}{4^k} \text{ and } M_D^*(2, k) = D(2, k) = 2k + 1.$$

Results in the same spirit were previously proved. Interestingly, by using a random walk analysis, [Abernethy, Warmuth, and Yellin \(2008\)](#) showed that the optimal loss of a *proper* algorithm in the case of two experts is $M^*(2, k) + 1$. In the *bounded horizon* setting, [Cover \(1965\)](#) showed that the optimal regret in the case of two experts is $\sqrt{\frac{\mathbf{T}}{2\pi}}$ where \mathbf{T} is the horizon. Later, [Gravin, Peres, and Sivan \(2016\)](#) identified a connection between this result and one-dimensional random walks.¹³

Proof [Proof of Theorem 65] According to Proposition 53, there is a nonredundant infinite tree T which is k -shattered by \mathcal{U}_2 and satisfies $M^*(2, k) = \text{RL}_k(\mathcal{U}_2) = E_T/2$. We will show that without loss of generality, all vertices in T are labeled $(0, 1)$. This will allow us to determine T exactly, and so to compute $M^*(2, k)$.

If there is a vertex labeled $(1, 0)$, we can switch its label to $(0, 1)$ and switch its two children. The resulting tree is also k -shattered by \mathcal{U}_2 and has the same expected branch length.

If a vertex is labeled $(0, 0)$, then by nonredundancy, only one hypothesis is “still in play” (that is, all branches passing through the vertex are realized by the same hypothesis), say the first one. Therefore if we change its label to $(0, 1)$ then the resulting tree is also k -shattered by \mathcal{U}_2 .

Concluding, we can assume without loss of generality that all vertices in T are labeled $(0, 1)$. Such a tree is k -shattered by \mathcal{U}_2 if every prefix (path starting at the root) contains at most k many 0-edges or at most k many 1-edges. Identifying vertices in the tree by the strings formed from the labels of the edges leading to them from the root, the labels of all vertices must contain at most k many 0s or at most k many 1s. We call such strings *legal*.

Since the tree T is optimal, its leaves correspond to legal strings s such that either $s0$ or $s1$ is illegal. If s terminates with 0 then it is a leaf if it either contains at least $k + 1$ many 1s and exactly k

¹³ In a one-dimensional random walk, a particle chooses whether to go left or right in each step.

many 0s (in which case s_0 is illegal), or if it contains exactly k many 1s and exactly $k + 1$ many 0s (in which case s_1 is illegal). This defines T completely, and we can calculate

$$E_T = 2 \sum_{t=k+1}^{\infty} (t+k) \frac{\binom{t+k-1}{k-1}}{2^{t+k}} + 2 \cdot (2k+1) \frac{\binom{2k}{k}}{2^{2k+1}} = 2k \sum_{t=k+1}^{\infty} \frac{\binom{t+k}{k}}{2^{t+k}} + \frac{(2k+1)\binom{2k}{k}}{4^k}.$$

The infinite series is the probability that if we toss an unbiased coin, then eventually both sides show up at least $k + 1$ many times (if the last toss was heads then t is the number of tails, and vice versa). Therefore

$$E_T = 2k + \frac{(2k+1)\binom{2k}{k}}{4^k}.$$

The formula for $M^*(2, k)$ immediately follows.

All leaves in T have depth at least $2k + 1$, and so

$$M_D^*(2, k) = L_k(\mathcal{U}_2) \geq m_T = 2k + 1.$$

We showed that $D(2, k) = 2k + 1$ in the course of the proof of Theorem 56. Recall that (Cesa-Bianchi, Freund, Helmbold, and Warmuth, 1996) showed that $M_D^*(2, k) \leq D(2, k)$, which finishes the proof. \blacksquare

F.5. Approximations of $D(n, k)$

The quantity $D(n, k)$ appears in the bounds on both $M^*(n, k)$ and $M_D^*(n, k)$. In the literature on prediction using expert advice, some papers obtain bounds in terms of $D(n, k)$ or variations of it (Cesa-Bianchi, Freund, Helmbold, and Warmuth, 1996; Mukherjee and Schapire, 2010), while others give explicit bounds (Cesa-Bianchi, Freund, Haussler, Helmbold, Schapire, and Warmuth, 1997; Brânzei and Peres, 2019). In this brief section, we describe simple asymptotic approximations of $D(n, k)$. The notation $a(n, k) \approx b(n, k)$ means that $\lim_{(n+k) \rightarrow \infty} \frac{a(n, k)}{b(n, k)} = 1$ where a, b are functions of n, k . Using this notation, (Cesa-Bianchi, Freund, Helmbold, and Warmuth, 1996) showed that $M_D^*(n, k) \approx D(n, k)$, and so the asymptotic expansions below apply to $M_D^*(n, k)$ as well.

For $n = 1$, we know that $D(1, k) = k$ (Theorem 58). For $n \geq 2$, we have the following known bounds:

$$2k + \lceil \log n \rceil \leq D(n, k) \leq 2k + \log n + 2\sqrt{k \ln n}.$$

The lower bound is since $M_D^*(n, k) \geq 2k + \lceil \log n \rceil$ due to (Littlestone and Warmuth, 1994) and $D(n, k) \geq M_D^*(n, k)$ due to (Cesa-Bianchi, Freund, Helmbold, and Warmuth, 1996) (and this work). The upper bound follows from (Cesa-Bianchi, Freund, Helmbold, and Warmuth, 1996; Cesa-Bianchi, Freund, Haussler, Helmbold, Schapire, and Warmuth, 1997). Using those bounds, it is straightforward that $D(n, k) \approx \log n$ when $k = o(\log n)$, and that $D(n, k) \approx 2k$ when $k = \omega(\log n)$.

The intermediate case is a bit more involved. Suppose that $k = \frac{\log n}{c}$ for some constant c . Let $d^*(n, k)$ be the solution of the equation

$$d = \log n + dh(k/d),$$

Regime	Approximation
$k = o(\log n)$	$D(n, k) \approx \log n$
$k = \frac{\log n}{c}$ for constant c	$D(n, k) \approx k/f^{-1}(c)$
$k = \omega(\log n)$	$D(n, k) \approx 2k$

Table 1: Approximations of $D(n, k)$ in various regimes




Figure 11: Plot of $f^{-1}(c)$, where $f(p) = (1 - h(p))/p$

where $h(p) = -p \log p - (1 - p) \log(1 - p)$ is the binary entropy function. After rearranging, we get

$$\frac{1 - h(k/d)}{k/d} = c.$$

Therefore, if we define

$$f(p) = \frac{1 - h(p)}{p}$$

then

$$d^*(n, k) = \frac{k}{f^{-1}(c)},$$

where we take the branch of the inverse which lies in $(0, 1/2]$. The results of (Cesa-Bianchi, Freund, Helmbold, and Warmuth, 1996) imply that $d^*(n, k) \approx D(n, k)$ (more details can be found in Appendix H.2). Therefore we deduce

$$D(n, k) \approx \frac{k}{f^{-1}(c)}.$$

The approximations are summarized in Table 1. The function $f^{-1}(c)$ is plotted in Figure 11.

F.6. Proper Learners are Sub-Optimal

It is natural to ask for a learning rule to be *proper*.

Definition 66 (Online proper learners (Hanneke, Livni, and Moran, 2021)) *Let \mathcal{H} be a concept class. An online learning rule Lrn is proper for \mathcal{H} if for every realizable input sequence S , the function $h_S: \mathcal{X} \rightarrow [0, 1]$ given by*

$$h_S(x) = \text{Lrn}(S, x)$$

is a convex combination of hypotheses from \mathcal{H} , that is, there are coefficients α_h such that

$$h_S(x) = \sum_{h \in \mathcal{H}} \alpha_h h(x).$$

When the learner is deterministic, the function h_S is $\{0, 1\}$ -valued, and so the learner is proper if $h_S \in \mathcal{H}$ for every realizable input sequence S .

We can adapt this definition to the setting of prediction using expert advice (with $k = 0$) by requiring that at all times, the learner picks a convex combination of the experts before seeing their current advice. In other words, each round of the game is played as follows:

- (i) The algorithm chooses a convex combination of the experts.
- (ii) The adversary chooses both the advice of the experts and the correct label.

This can also be expressed in the language of game theory: in each round, the first player (the learner) picks a mixed strategy (a convex combination of experts), and then the second player (the adversary) picks a pure strategy (the true label). The payoff is the probability that the learner's random strategy agrees with the adversary's pure strategy. The optimal proper algorithm was found in [Abernethy et al. \(2008\)](#) via a random walk analysis, similarly to our algorithms.

For an hypothesis class \mathcal{H} we define the optimal randomized mistake bound for proper learners $M_p^*(\mathcal{H})$ by restricting the learners to be proper:

$$M_p^*(\mathcal{H}) = \inf_{\text{Lrn}_p} \sup_S M(\text{Lrn}_p; S),$$

where the infimum is taken over all proper learning rules, and the supremum is taken over all realizable sequences.

We can similarly define the analogous notion for prediction using expert advice, namely $M_p^*(n) = M_p^*(\mathcal{U}_n)$.

We can solve the problem of prediction using expert advice optimally with the learning rule RandSOA . This learning rule is improper, a property it shares with Littlestone's SOA algorithm that it is based on. In this section, we show that any proper learning rule makes more mistakes than RandSOA when used to solve this problem.

Theorem 67 (Mistake bound of a proper learner) *For every $n \geq 1$, the optimal mistake bound for proper randomized learners solving prediction using expert advice is*

$$M_p^*(n) = H_n - 1 = \ln n - (1 - \gamma) + o(1),$$

where H_n is the harmonic number $1 + 1/2 + \dots + 1/n$.

In contrast, we have $\lfloor \log_4 n \rfloor \leq M^*(n) \leq \log_4 n$ (Brânzei and Peres, 2019, Theorem 6).

We prove Theorem 67 by proving a lower bound. A matching upper bound can be found e.g. in (Karlin and Peres, 2017, Section 18.1), and we prove it here as well for completeness. We start with the lower bound.

Lemma 68 *Consider prediction using expert advice with n experts. For any proper learner Lrn_p there exists a strategy for the adversary under which the loss of the learner is at least $H_n - 1$. Consequently,*

$$M_p^*(n) \geq H_n - 1.$$

Proof We will run the prediction game for $n - 1$ rounds. At the i 'th round, let G_i be the set of experts which are consistent with the examples seen so far, and let B_i be the remaining experts.

We set the true label to 0. All experts in B_i predict 1. An expert in G_i maximizing μ_i also predicts 1, and all other experts in G_i predict 0. Clearly $|G_{i+1}| = |G_i| - 1$, and the loss of the learner is

$$\mu_i(B_i) + \frac{\mu_i(G_i)}{|G_i|} = \frac{1}{|G_i|} + \frac{|G_i| - 1}{|G_i|} \mu_i(B_i) \geq \frac{1}{|G_i|}.$$

After $n - 1$ rounds, there is precisely one expert left, and the loss of the learner is at least

$$\sum_{i=2}^n \frac{1}{i} = H_n - 1.$$

This completes the proof. ■

The matching upper bound is given by a natural “follow the leader” algorithm.

Lemma 69 *Consider prediction using expert advice with n experts. Let FTL be the algorithm which chooses a random expert among those who have not made any mistake so far. The loss of FTL on any realizable sequence is at most $H_n - 1$. Consequently,*

$$M_p^*(n) \leq H_n - 1.$$

Proof As in the proof of Lemma 68, let G_i be the set of experts which have not made any mistake before round i . Thus $|G_1| = n$, and at all times, $|G_i| \geq 1$. The loss of FTL in the i 'th round is precisely

$$\frac{|G_i| - |G_{i+1}|}{|G_i|} = \sum_{j=|G_{i+1}|+1}^{|G_i|} \frac{1}{|G_i|} \leq \sum_{j=|G_{i+1}|+1}^{|G_i|} \frac{1}{j}.$$

Therefore the total loss of the learner across all rounds is

$$\sum_{i=1}^{\infty} \frac{|G_i| - |G_{i+1}|}{|G_i|} \leq \sum_{i=1}^{\infty} \sum_{j=|G_{i+1}|+1}^{|G_i|} \frac{1}{j} \leq \sum_{j=2}^n \frac{1}{j},$$

which completes the proof. ■

Appendix G. Open Questions

Our work naturally raises directions for future work.

General Questions

Multiclass setting. Daniely, Sabato, Ben-David, and Shalev-Shwartz (2015) extended the definition of Littlestone dimension to the multiclass setting, and showed that it gives the exact mistake bound for deterministic algorithm. Can we extend the definition of randomized Littlestone dimension to this setting?

A potential application is the problem of prediction using expert advice when the predictions are non-binary, a setting studied in (Brânzei and Peres, 2019).

For more recent work on multiclass classification which involves various combinatorial dimensions, see (Brukhim, Carmon, Dinur, Moran, and Yehudayoff, 2022; Kalavasis, Velegkas, and Karbasi, 2022).

Proper learning of arbitrary hypothesis classes. In Section F.6 we show that improper learning algorithms outperform proper learning algorithm in online learning of the hypothesis class \mathcal{U}_n . What can we say about arbitrary hypothesis classes, and in particular, about the ratio $M_p^*(\mathcal{H})/M^*(\mathcal{H})$?

Mistake Bounds

Adaptive algorithms. Algorithm WeightedRandSOA gives the optimal mistake bound, but requires knowledge of k . Theorem 48 gives an algorithm which doesn't require knowledge of k , and has a regret bound of $\tilde{O}(\sqrt{M^*(\mathcal{H}, k)} \cdot \log k)$ (this is the loss beyond $M^*(\mathcal{H}, k)$). What is the optimal regret bound?

Speed of convergence to the mistake bound. Given an hypothesis class \mathcal{H} , how many rounds are needed in order to guarantee a loss of $\text{RL}(\mathcal{H}) - \epsilon$? Proposition 35 shows (via Theorem 34) that the answer is at most $2\text{RL}(\mathcal{H}) + O(\sqrt{\text{RL}(\mathcal{H}) \log(\text{RL}(\mathcal{H}/\epsilon)} + \log(1/\epsilon))$. Is this tight whenever \mathcal{H} is infinite?

Proposition 41 shows that this bound is fairly good when \mathcal{H} is “strongly infinite”, and Proposition 39 gives a lower bound of $\log(1/\epsilon)$ for all infinite \mathcal{H} .

A related question concerns the regime in which the number of rounds is less than $2\text{RL}(\mathcal{H})$. For every \mathbf{T} it clearly holds that $\text{RL}(\mathcal{H}, \mathbf{T}) \leq \mathbf{T}/2$, and when $\mathbf{T} \leq 2\text{RL}(\mathcal{H}) - \omega(\sqrt{\mathbf{T} \log \mathbf{T}})$, this is tight up to an $o(1)$ additive term, as the proof of Proposition 37 shows. For larger \mathbf{T} , the error term in the proposition gets larger, reaching $O(\sqrt{\mathbf{T} \log \mathbf{T}})$ for \mathbf{T} close to $2\text{RL}(\mathcal{H})$. What is the optimal bound on $\mathbf{T}/2 - \text{RL}(\mathcal{H}, \mathbf{T})$ for the entire range $\mathbf{T} \leq 2\text{RL}(\mathcal{H})$?

Characterizing the equality cases of $M^*(\mathcal{H}) \leq M_D^*(\mathcal{H}) \leq 2M^*(\mathcal{H})$. In Section C.3.2 we gave two examples showing that both inequalities can be tight. Can we characterize the two families of classes for which each inequality is tight? For example, it can be shown that every class \mathcal{H} satisfying $M^*(\mathcal{H}) = M_D^*(\mathcal{H})$ must be infinite, but not vice versa.

Prediction using Expert Advice

Quantitative bounds. The first part in Theorem 5 asserts that $M^*(n, k) \leq \frac{1}{2}M_D^*(n, k) + o(M_D^*(n, k))$. It will be interesting to get quantitative bounds on the $o(M_D^*(n, k))$ term. By the second part of

Theorem 5 we know that in some cases ($n = 2$) it is $\Omega(\sqrt{M_D^*(n, k)})$. Does an upper bound of

$$M^*(n, k) \leq \frac{1}{2}M_D^*(n, k) + O\left(\sqrt{M_D^*(n, k)}\right)$$

hold for all n, k ?

In addition, it will be interesting to find explicit bounds on $M^*(n, k), M_D^*(n, k)$; by Theorem 4, we know that when $k \gg \log n$ then¹⁴

$$M^*(n, k) = k + \Theta\left(\sqrt{k \log n}\right).$$

How about for other values of n, k ? Brânzei and Peres (2019) have the state-of-the-art bounds in the regime $k \ll \log n$, but we are not aware of any results in other regimes, e.g. when $k = \Theta(\log n)$. As a matter of fact, to the best of our knowledge, even the leading asymptotic terms in the regime $k = \Theta(\log n)$ (described in Section F.5) were unknown prior to this work.

Proper predictions and repeated game playing. Consider the prediction using the expert advice problem, when the learner is restricted to predict with a convex combination of the experts. That is, at the beginning of each round (before seeing the advice of the n experts), the learner picks a convex combination of the experts and predicts accordingly. What is the optimal expected number of mistakes in this game?¹⁵

The optimal algorithm for this problem was identified in (Abernethy, Warmuth, and Yellin, 2008). We comment that this game can also be presented in the language of game theory: assume a repeated zero-sum game with 0/1 values, where each round is played as follows: player (i) chooses a (mixed) strategy and reveals it to player (ii), who then replies with a strategy of his own. What is the optimal accumulated payoff that player (i) can guarantee provided that she has n strategies and that the sequence of strategies chosen by player (ii) is such that player (i) has a pure strategy that loses to at most k of them? Proper predictions in the prediction with expert advice setting are equivalent to mixed strategies here.

Prediction using expert advice with different budgets. Section F considers prediction using expert advice in the k -realizable setting. The goal is to determine $L_k(\mathcal{U}_n)$ and $RL_k(\mathcal{U}_n)$. One can ask more generally for the deterministic and randomized Littlestone dimensions of the weighted hypothesis class $\mathcal{U}_{k_1, \dots, k_n} = \{(h_1, k_1), \dots, (h_n, k_n)\}$, where h_1, \dots, h_n are the hypotheses in \mathcal{U}_n . In particular, which parameter determines the ratio $RL(\mathcal{U}_k)/L(\mathcal{U}_k)$?

In the case of two experts, the arguments in Theorem 65 can be extended to give an exact formula for both quantities:

$$RL(\mathcal{U}_{k, \ell}) = \frac{k \binom{k+\ell+1}{\geq \ell+1} + \ell \binom{k+\ell+1}{\geq k+1} + (k + \ell + 1) \binom{k+\ell}{k}}{2^{k+\ell+1}} \text{ and } L(\mathcal{U}_{k, \ell}) = k + \ell + 1.$$

Roughly speaking, $RL(\mathcal{U}_{k, \ell}) \approx \max(k, \ell)$,¹⁶ and so

$$\frac{RL(\mathcal{U}_{k, \ell})}{L(\mathcal{U}_{k, \ell})} \approx \frac{\max(k, \ell)}{k + \ell}.$$

14. The upper bound is also given in (Cesa-Bianchi, Freund, Haussler, Helmbold, Schapire, and Warmuth, 1997).

15. We answer this question only for the case $k = 0$ in Section F.6.

16. This follows from the formula $RL(\mathcal{U}_{k, \ell}) = 2\mathbb{E}[\max(\text{Bin}(k + 1, \frac{1}{2}), \text{Bin}(\ell + 1, \frac{1}{2}))] - 1$.

Experiments suggest that more generally, if k_1, k_2 are the two largest elements in \mathbf{k} , then

$$\frac{\text{RL}(\mathcal{U}_{\mathbf{k}})}{\text{L}(\mathcal{U}_{\mathbf{k}})} \approx \frac{\max(k_1, k_2)}{k_1 + k_2}.$$

Efficient implementation of WeightedRandSOA. It can be shown that $\text{RandSOA}(\mathcal{U}_n)$ has an efficient implementation. Can WeightedRandSOA be implemented efficiently on \mathcal{U}_n for $k \geq 1$, say in time $\text{poly}(n, k)$?

(Abernethy, Langford, and Warmuth, 2006; Brânzei and Peres, 2019) observed that the only information relevant to the adversary's choice of expert predictions is the state of each round, which is indicated by a $(k + 1)$ -ary vector specifying how many experts have $i \in \{0, \dots, k\}$ mistakes left. Using this observation, it is straightforward to derive an algorithm that calculates the randomized Littlestone dimension of every possible state in time complexity $O(n^{2k})$, and then uses these values to determine the optimal prediction in each round efficiently. Can we improve this?

Appendix H. Results of Cesa-Bianchi, Freund, Helmbold and Warmuth

The foundational work of Cesa-Bianchi, Freund, Helmbold, and Warmuth (1996) (henceforth, Cesa-Bianchi et al.) implies several inequalities involving the quantities $M_D^*(n, k)$ and $D(n, k)$. These inequalities follow directly from results in Cesa-Bianchi et al., but are not stated explicitly in their work. In this short appendix, we show how to derive these results from their work.

The first two results use the notation $o_{n+k}(1)$, which stands for a quantity tending to zero as $n + k$ tends to infinity.

H.1. A proof of $M_D^*(n, k) \geq (1 - o(1))D(n, k)$

For $n = 1$, we prove in this paper that $M_D^*(1, k) = D(1, k) = k$ for all $k \geq 0$ (Theorem 58). For $n \geq 2$, we will prove the inequality $M_D^*(n, k) \geq (1 - o_{n+k}(1))D(n, k)$ using results of Cesa-Bianchi et al.

Let $n \geq 2$ and $k \geq 0$. Cesa-Bianchi et al. define the function

$$\text{up}(n, k, \beta) = \frac{\log n + k \log \frac{1}{\beta}}{\log \frac{2}{1+\beta}}$$

in Equation (4). Then, in Theorem 2 they show that for all $\beta \in [0, 1]$ and for all non-negative n, k ,

$$D(n, k) \leq \text{up}(n, k, \beta).$$

In Theorem 3, Cesa-Bianchi et al. define a function $\text{Low}(n, k)$ and show that

$$M_D^*(n, k) \geq \text{Low}(n, k).$$

In Theorem 4, they show that for every n, k , the value of $\beta \in [0, 1]$ can be chosen to be some $\beta^* = \beta^*(n, k)$ such that

$$\lim_{n+k \rightarrow \infty} \frac{\text{Low}(n, k)}{\text{up}(n, k, \beta^*)} = 1,$$

and so

$$\text{Low}(n, k) = (1 - o_{n+k}(1)) \text{up}(n, k, \beta^*).$$

Putting everything together, we can now deduce

$$M_D^*(n, k) \geq \text{Low}(n, k) = (1 - o_{n+k}(1)) \text{up}(n, k, \beta^*) \geq (1 - o_{n+k}(1))D(n, k).$$

H.2. A proof of $d^*(n, k) = (1 + o(1))D(n, k)$

Let $d^* = d^*(n, k)$ be the unique solution to the equation $d = \log n + dh(k/d)$. The results of Cesa-Bianchi et al. imply that $d^*(n, k) = (1 + o_{n+k}(1))D(n, k)$, as we now indicate. The argument will employ the functions up and Low and the parameter β^* mentioned in Appendix H.1.

In Lemma 1 (attributed to Vovk (Vovk, 1990)), Cesa-Bianchi et al. show that $d^*(n, k)$ is the minimum value of $\text{up}(n, k, \beta)$. We also have the bound $D(n, k) \leq \text{up}(n, k, \beta)$ for all β from their Theorem 2, and therefore $d^*(n, k) \geq D(n, k)$. It remains to show $d^*(n, k) \leq (1 + o(1))D(n, k)$.

Theorem 4 of Cesa-Bianchi et al. shows that

$$\lim_{n+k \rightarrow \infty} \frac{\text{Low}(n, k)}{\text{up}(n, k, \beta^*)} = 1.$$

Since $d^*(n, k) \leq \text{up}(n, k, \beta^*)$, it follows that

$$d^*(n, k) \leq (1 + o_{n+k}(1)) \text{Low}(n, k).$$

Since $\text{Low}(n, k) \leq M_D^*(n, k) \leq D(n, k)$, this completes the proof.

H.3. A proof of $M_D^*(n, k) \geq D(n, k) - 1$ for constant k

In this section we show that for every constant k , the inequality $M_D^*(n, k) \geq D(n, k) - 1$ holds for large enough n .

Denote by $\text{BW}(n, k)$ the maximal number of mistakes that the *Binomial Weights* algorithm of Cesa-Bianchi et al. makes with parameters n, k . Theorem 5 in Cesa-Bianchi et al. states that for every k there is n_k such that $M_D^*(n, k) \geq \text{BW}(n, k) - 1$ for every $n > n_k$. As we show below, their proof actually shows that $M_D^*(n, k) \geq D(n, k) - 1$. (This is a stronger inequality since $\text{BW}(n, k) \leq D(n, k)$ by their Theorem 1.)

We now explain how to derive the bound $M_D^*(n, k) \geq D(n, k) - 1$, for large enough n , from the proof of Theorem 5. Fix an integer $k \geq 0$. Cesa-Bianchi et al. define the function

$$J(k, q) = 2^q / \binom{q}{\leq k}.$$

Cesa-Bianchi et al. prove the existence of an integer n_k such that if $n > n_k$ and $J(k, q) \leq n < J(k, q + 1)$ then $M_D^*(n, k) \geq q - 1$.

The inequality $J(k, q) \leq n < J(k, q + 1)$ is equivalent to $q \leq \log n + \log \binom{q}{\leq k}$ and $q + 1 > \log n + \log \binom{q+1}{\leq k}$, and so $q = D(n, k)$ by definition, completing the proof.